USE TYPEWRITE	R OR BALL
POINT PEN-PRE	SS FIRMEY,
PRINT CLEARLY	·
157	

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department af Health and Environment-Division of Environment (Water well Cantractors) Topeka, Kansas 66620

3.	County Fraction Section number		number	Township number	Range number				
1. Location of well:	Sedanico)	SE 1/4 5 ET/4 50	5 7/4	/	9	1 26 s	R /	(FW	
2. Distance and direc	ction from secrest town or city:	1 1 1 1	3. Own	er of well	1: YU	alt Staure	y) Con	STU	
	1138 W	1.46 th Ylo.				5 west 1	Stall C	Terior	<u> </u>
Street address of well	location if in city:	lita, Tre.	1				Kanso	s.	
4. Locate with "X" i		Sketch map:				6. Bore hole dia. 11 in Well depth 50 ft.			
N	<u> </u>								
	!					7 Cable tool 🗹 Rotary	Driven	Dug	
	NE					Hollow rod Jetted	Bored	Reverse rotary	
l' 1 ; l	i i					8. Use: Domestic Po	ablic manily	Industry	
M M M	E					Irrigation A	• • • • •	- '	
<u> -</u>							il field water.		
sw	SE								
	! J					9. Casing: Mate At 18 Height: Love or below Threaded Welded Surface in.			
I									
S							iWeight	lbs./ft.	
1 M	ile ————			1	T	Dia 5 in. to 60 ft. dep	th Wall Thicknes	s: inches or	
5. Type and color of	material			From	То	Dia in. to ft. dep			
0 /				<u> </u>		10. Screen: Mapufacturer's	name On.	* 	
Sandy	h Soil			0	2	Type Steprene	_ Dia 5		
1	2			1		Flot gauze 106	Length	225	
Sande	s Clair			2	10	Set between 40	ft. and 50	1.	
1.					- 4	ft. o		el let.	
tene)	Sand			10	21	Gravel pack?		14-18	//
50 1·) / / /					11. Static water level:		mo./day/yr.	
Onedin	m clars	Sand		21	35	ft. below land sur	face Date <u>7</u>	-20-70	6
COALAR	Dand In	+6 1 m = 10	1 -	35	50	12. Pumping level below lan	d surfaces:		
cearese	- xanu un	M XXIIALX		در	20	ft. after		g.p.m.	
Grave	<i>l</i> ,			l		ft. after			
7/ 5/12						Estimated maximum yield —		g.p.m.	
						13. Water sample submitted:		mo./day/yr.	
						Yes Na	Date		
						14. Well head completion:			
				Ì		Pitless adapter	12 Inches at	ove grade	
						15. Well grouted?			k -
						With: Neat coment	Benjonite	Concrete	· No
				ļ		Depth: From to	ft.	1	_ الا
						16. Nearest source of possible	e contamination:	Septic	10
						ft. 70_ Direction 1	arth Type	Tink	
				1		Well disinfected upon comple			ı
						17. Pump:	Not instal	led	۽ ا
						Manufacturer's name	a -Kil	<u>e</u>	ĨN
						Model number OPILD	20An 3/4	Volt=2.30	, , ,
						Length of drop pipe 30	ft. capacity S	₹ Ø _{g.p.m.}	≥ 6
	= 10-11-					Туре:			
						Submersible		rbine	1.
	** *					Jet		ciprocating	^ا ڏ
1	(Use a secon	d sheet if needed)			l l	Centrifugal		her	* \
18. Elevation:	19. Remarks: Flat	Ground	/			20. Water well contractor's			12
	<u>~</u>		-			This well was drilled under m			
						is true to the best of my know	rledge and belief.	ارومرا	- K
Topography:						Harp Will	44 ump	1256	11 ×
Hill						Business name	7/2/1	MAAAA	大比
Slope						Address O Chi	ned.		₩
Upland						Signed Authorized rep	resentative a	Date 70 7	\$ l5
Valley						70110123016	//		~ IN