1 LOCATION OF WATER WELL:	FRACTION	Water Well Reco	rd Form WWC-	KSA 82a-1212 Section Number	T	T	
	A/\A/				Township Number	Range Number	
Sedgwick			SW 1/4	20	26 s	R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city?							
4944 N. Jeanette Wichita, Kansas							
	NS, Curt						
	N. Jeanet	+-			Board of Agriculture, D	ivivsion of Water Resource	
	ta, Kansa						
	ra, vanse	OGGED WELL			Application Numbe		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	l		28	ft. ELE	VATION: GARAGE FL	OOR	
N N	Depth(s) groundw	ater Encountered	1	ft. GARAC	TE PI COD ft.	3 ft.	
l l w	ELL'S STATIC W	ATER LEVEL 1	2 FT	BELOW LAND	E FLOOR II.	08/12/1993	
NE NE	Pump test	t data: Well	water was	ft. a	ifter hours pum	ping gpm	
Es	t. Yield	gpm: Well	water was		after hours pum		
	re Hole Diameter_	91					
E Bo	TATA	S. varra ia	to	ft.,	and in.	to ft.	
~	ELL WATER		5 Public wate			njection well	
sie	1 Domestic	3 Feediot	6 Oil field wa		•	Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR)		6 Asbestos-Ceme		Other (Specify be	•	Velded	
		7 Flberglass	,	Other (speeny be	•	Threaded	
		· ·					
Blank casing Diameter AFE 1/100K	. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 24	in.,	weight		lbs. / ft. V	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:			PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify)	
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPENI	NC ADE.	5 Com	bonnond bon		8 Saw cut	11 None (open hole)	
140 0		5 Gauzed wrapped					
5 Will slot	o wir	6 Wire wrapped		9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERVAL	S: from	ft	. to	ft., From	ft. to	ft.	
	from			,			
		ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., From	ft. to	ft.	
from ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cen	ient 2 <u>C</u>	Cement grout	3 Bei	ntonite	4 Other		
-	t. to 4	ft., From	ft.	to	ft., From	ft. to ft.	
What is the nearest source of possible contamination:				10 Livestoc	•	bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	rage 15 (15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilize		16 Other (specify below)	
5 CCS poor			13 Insecticide storage			vener (opecar) below)	
	pit	9 Feedyard					
Direction from well? South How many feet? 15 FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
LII	HOLOGIC LOG		FROM	TO	PLUGGING INTER	CVALS	
			0		ement grout	_	
			4		entonite hole		
			16	28 c	hlorinated san	d and gravel	
						.,,,,,,	
				1			
	·	77 (80-74-54-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5		+-+		- Address -	
					Photosocial control of the control o		
				+			

				1			
						1,	
				1	144/4/19		
							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)	08/12/	1993	, and this rec	ord is true to the	best of my knowledge and	belief. Kansas Water	
Well Contractor's License No236							
Haday the business warms of Harn Well & Dumn Service Inc. business was							
Vama tradatich							
692					Juliu 0.	www wire	