

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>NE</u> 1/4 <u>SE</u> 1/4 <u>NE</u> 1/4	<u>20</u>	T <u>26</u> S	R <u>1</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>5101 N. Broadway Wichita</u>					
2 WATER WELL OWNER:		MW-2			
RR#, St. Address, Box # :		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>20</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>13.5</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL . . . <u>13.5</u> ft. below land surface measured on mo/day/yr <u>3-18-90</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>7.25</u> in. to <u>20</u> ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Monitoring well</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel		5 Wrought iron	8 Concrete tile	Welded	
2 <u>PVC</u>		3 RMP (SR)	9 Other (specify below)	Threaded <u>X</u>	
Blank casing diameter <u>2</u> in. to <u>10</u> ft., Dia in. to ft., Dia in. to ft.		6 Asbestos-Cement			
Casing height above land surface <u>0</u> in., weight lbs./ft. Wall thickness or gauge No. <u>24 1/2</u>		7 Fiberglass			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 <u>PVC</u>			
1 Steel		5 Fiberglass	8 RMP (SR)	10 Asbestos-cement	
2 Brass		6 Concrete tile	9 ABS	11 Other (specify)	
3 Stainless steel				12 None used (open hole)	
4 Galvanized steel					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot		6 Wire wrapped	9 Drilled holes		
2 Louvered shutter		7 Torch cut	10 Other (specify)		
3 <u>Mill slot</u>					
4 Key punched					
SCREEN-PERFORATED INTERVALS:		From <u>10</u> ft. to <u>20</u> ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS:		From <u>8</u> ft. to <u>20</u> ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL:		1 Neat cement	2 <u>Cement grout</u>	3 <u>Bentonite</u>	4 Other
Grout intervals: From <u>0</u> ft. to <u>6</u> ft., From <u>6</u> ft. to <u>8</u> ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank		4 Lateral lines	7 Pit privy	11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	12 Fertilizer storage <u>16 Other (specify below)</u>	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	<u>oil/water separator</u>	
Direction from well? <u>North east</u>		How many feet? <u>25</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>5</u>	<u>Brown, CLAY</u>			
<u>5</u>	<u>12</u>	<u>Brown, clayey fine SAND</u>			
<u>12</u>	<u>20</u>	<u>Brown, fine to coarse SAND</u>			
<u>GROUT and casing height variance granted.</u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-18-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>517</u> This Water Well Record was completed on (mo/day/yr) <u>3/30/90</u> under the business name of <u>Groundwater Tech., Inc.</u> by (signature) <u>Baughman</u>					