1 LOCATION OF	WATER WELL:	FRACTION	Water Well Recor	rd Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
			CM	NT-1		1	
Sedgwick		NW 1/4		NW 1/4	20	r 26 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?							
1002 W. 50th N. Wichita, Kansas							
2 WATER WEI	DHUII						
RR#, ST. ADRI		W. 50th N				Board of Agriculture, D	ivivsion of Water Resource
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:							r:
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION:							
AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.							
	W	ELL'S STATIC W	ATER LEVEL 1	5 FT.	. BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	04/24/1993
	vNE	Pump test	data: Well	water was	ft.	after hours pum	ping gpm
	·	. Yleld	gpm: Well	water was	ft.	after hours pum	
w	Bor	e Hole Diameter	12 in.	to 40	ft.,	and in.	to ft.
"	1 ! [2]	LL WATER TO I	-	5 Public wate	•		njection well
ایا		1 Domestic	3 Feedlot	6 Oil field wa		•	Other (Specify below)
#s	v SE	2 Irrigation	4 Industrial	7 Lawn and g		0 Monitoring well	` ' '
\$							
TWIND OF GUARAGE VAND							
1 Steel			5 Wrought iron		Concrete tile		lued X Clamped
Carry (carry below) Western							
2 PVC 4 ABS 7 Flberglass SDR-26 Threaded							
Blank casing Di	•	to 30	ft., Dia	in.	to	ft., Dia in.	to ft.
	bove land surface 12	in.,	weight	2.35	lbs. / ft.	Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless Steel 5 Flberglass 8 RMP (SR) 11 other (specify)							
2 Brass	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (o _l	en hole)
· · · · · · · · · · · · · · · · · · ·							11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shu		ned				10 Other (specify)	
CODEEN DEDECT ATTOM ATTOM ATTOMATO							
SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft., From ft. to ft.							
from			=-	t. to	ft., From		ft.
GRAVEL PACK INTERVALS: from 24			ft. to 40		ft., From		ft.
. Ignormas	1 N4	from		t. to	ft., Fron		ft.
6 GROUT MA	_		ement grout	3 Bei	ntonite	4 Other	
Grout Intervals	-	. to 24	ft., From	ft.		ft., From	ft. to ft.
What is the nearest source of possible contamination:					10 Livesto		bandon water well
1 Septic tank 4 Lateral lines		nes	7 Pit privy		11 Fuel ste	13(Oil well/Gas well
2 Sewer lines 5 Cess pool			8 Sewage lagoon				Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction form well? East How many feet? 55							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 3	topsoil						
3 9	clay						
9 23	fine sand	Tribe de la lace					
23 40	medium sar	ıd					
							
			-				
						·	
						· · · · · · · · · · · · · · · · · · ·	
		er billione volumente			1 1		
					+ +		
 							
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)							
Well Contractor's License No							
Under the bu	siness name ofHAXI	p Well &	Pump Serv	ice, I	እር by (signa	ature Man De	adapial.