1.00					rd Form WWC-			1
1 LOCATION OF WATER WELL:		1	N SW SW 5		Section Number	Township Number	Range Number	
Sedgwick 1/4			<b>87.</b> 1/4	20	T 26 s	R 1E E/W		
Distance and direction frem nearest town or city street address of well if located within city?								
40	548 N.	Arkansas	<u>s Wichit</u>	a, Kansa	<u>s</u>			
2 WA	ATER WELL (		ERG, Walter					
RR#,	ST. ADRESS,		E. Rhonda				Board of Agriculture, D	tvivsion of Water Resource
CITY	Y, STATE, ZIP	CODE: And	over, Kansa	s		67002	Application Number	er:
			4 DEPTH OF COM	APLETED WELL	40	===	EVATION:	
AN "X	" IN SECTIO	N BOX:	Depth(s) groundwa		1	ft.	2 ft.	3 ft.
li			WELL'S STATIC W		. <b>2</b> 🖭	. BELOW LAND S	URFACE MEASURED ON mo/day/yr	05/20/1994
	NW	NE	Pump test	t data: Well	water was	ft.	after hours pum	ping gpm
			Est. Yleld	gpm: Well	water was	ft.	after hours pum	ping gpm
Mile M	/ <del> </del>	E	Bore Hole Diameter	12 in.	to 40	ft.	and in.	to ft.
_			WELL WATER TO I	BE USED AS:	5 Public water	er supply		njection well
1 ,	sw	sie	1 Domestic	3 Feediot	6 Oil field w		9 Dewatering 12 C	Other (Specify below)
		X	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well	
+			Was a chemical/bacte	riological sample s	ubmitted to D	epartment? Yes	No 🗶 ; If yes, n	10/day/yr sample was
S submitted Water Well Disinfected? Yes X No								
5 TY	PE OF CA	SING USED:		5 Wrought iron		8 Concrete tile	CASING JOINTS: G	Hued X Clamped
1 Ste	el	3 RMP (SR)		6 Asbestos-Cement 9 Other (Spe		Other (Specify	ify below) Welded	
2 PV	C	4 ABS		7 Fiberglass	S	DR-26	7	Threaded
Blank c	asing Diam	eter 5	in. to 30	ft., Dia	in	. to	ft., Dia in.	to ft.
Casing	height abov	ve land surface 1	.2 in.,	weight	2.35	lbs. / ft.	Wall thickness or gauge No.	.214
TYPE	OF SCREE	N OR PERFORAT	ΓΙΟΝ MATERIAL:			7 PVC	10 Asbestos-cem	ent
1 Ste	el	3 Stainless Steel		5 Flberglass	:	8 RMP (SR)	11 other (specify	<i>'</i> )
2 Bra	188	4 Galvanized stee	e <b>l</b>	6 Concrete tile		9 ABS	12 None used (o <sub>l</sub>	pen hole)
SCREI	EN OR PEI	RFORATION OPE	NING ARE:	5 Gai	ızed wrapped		8 Saw cut	11 None (open hole)
1 Cont	inous slot	3 Mill slo	ot		e wrapped		9 Drilled holes	
2 Louve	ered shutte			7 Tor			10 Other (specify)	
		RATION INTERV						ft.
SCREE	M-FERFO	RATION INTERV	30		t. to 40	ft., Fro	_	
	CD. II		from	_	t. to	ft., Fro		ft.
	GRAV	EL PACK INTERV	<del>-</del> -	=	ft. to 40	ft., Fro		ft. ft.
6 GP	OUT MAT	ERIAL: 1 Neat o	from 2.0	Cement grout	ft. to	ft., Fro	om ft. to 4 Other	
<u> </u>			-					
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft. From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water well								
1	1 Septic tank 4 Lateral lines						el storage 15 Oil well/Gas well	
1 -	er lines	5 Cess			8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)	
1			-	9 Feedyard			13 Insecticide storage None Apparent	
								. whharenc
FROM			LITHOLOGIC LOG		FROM	ТО	How many feet? PLUGGING INTE	RVALS
0	3	topsoil	DITHOLOGIC DOG		TROM	1 1	I DOGGING INTE	KVADS
3	11	clay					SEPTIC SYSTEM N	OT INSTALLED
11	29	fine san	d				AT THIS TIME	
29	40	medium s				···		
	1	MEGICAN S	BIIG			1		
	1		70.946.390187					
	1			••••		1 1		
	<b>+</b>			***************************************				1U.AMA.UBUTT 7
	<del> </del>							
			www	<del>.</del>				
								4.4.0
							A DESCRIPTION OF THE PROPERTY	
			****					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No								
			rp Well &					
						, ,	' lane T	rederick
i							<i>(</i> † · · · ·	