

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>SW</u> $\frac{1}{4}$ <u>NN</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	<u>27</u>	T <u>26</u> S	R <u>1</u> EW
Distance and direction from nearest town or city street address of well if located within city? <u>2400 E. 37th</u> <span style="float:right"><u>MW-3</u></span>					
2 WATER WELL OWNER: <u>Phillips Petroleum Company</u> RR#, St. Address, Box # : City, State, ZIP Code : <u>Bartlesville, OK 74004</u> Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>25.0</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered <u>1</u> ft. <u>trace</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>6.09</u> ft. below land surface measured on <u>mo/day/yr</u> <u>10/15/89</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
Bore Hole Diameter <u>7.25</u> in. to <u>25</u> ft. and in. to ft.		WELL WATER TO BE USED AS:			
1 Domestic		3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation		4 Industrial	7 Lawn and garden only	9 Dewatering	12 Other (Specify below)
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u>		Water Well Disinfected? Yes No <u>X</u>			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
Blank casing diameter <u>2</u> in. to <u>10</u> ft. Dia		7 Fiberglass	Threaded <u>X</u>		
Casing height above land surface <u>36</u> in., weight <u>2</u> lbs./ft. Wall thickness or gauge No. <u>0.154</u> in.		TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped			
1 Continuous slot		3 Mill slot	6 Wire wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	7 Torch cut	9 Drilled holes	
SCREEN-PERFORATED INTERVALS:		10 Other (specify)			
From <u>10</u> ft. to <u>25</u> ft.		From ft. to ft.			
GRAVEL PACK INTERVALS:		From ft. to ft.			
From <u>9</u> ft. to <u>25</u> ft.		From ft. to ft.			
From ft. to ft.		From ft. to ft.			
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other <u>volclay Grout</u>	
Grout Intervals: From <u>0</u> ft. to <u>9</u> ft.		From ft. to ft.			
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>8</u>	<u>Varicolored weathered shale</u>			
<u>8</u>	<u>25</u>	<u>Shale</u>			
grout variance granted.					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10/14/89</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>517</u> This Water Well Record was completed on (mo/day/yr) <u>12/6/89</u> under the business name of <u>Groundwater Tech., Inc.</u> by (signature) <u>Bangor</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answer. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.					

850802068-13