1 LOCATION OF W	ATER WELL:	FRACTION	Water Well Reco	rd Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
Sedgwick		NE 1/4	SW 1/4	NE 1/4	29	T 26 s	1 170
Distance and direction frem nearest town or city street address of well if located within city?							
228 W. 42nd N. Wichita, Kansas							
2 WATER WELL OWNER: CASEBOLT, Marvin							
RR#, ST. ADRESS, BOX#: 228 W. 42nd N.  Board of Agriculture, Divivsion of Water Resource							
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:							
3 LOCATE WELL'S I	N DOV.		IPLETED WELL	30		VATION:	
N Deptn(s) groundwater Encountered 1 π. 2 π. 3 π.							
			ATER LEVEL 8			FACE MEASURED ON mo/day/yr	09/21/1993
NW	X Est.	Pump test		water was		fter hours pum	
4	!!!!	Yield	61	water was		ifter hours pum	
w w	1 1 1 1	e Hole Diameter LL WATER TO E	12 in.	to 30 5 Public wate	ft., raunnly 9	and in.  S Air conditioning 11 In	to ft. njection well
		1 Domestic	3 Feedlot	6 Oil field wa			ther (Specify below)
sw	SE	2 Irrigation	4 Industrial	7 Lawn and g		) Monitoring well	, ,
		s a chemical/bacte	riological sample s	ubmitted to D	epartment? Yes	No X; If yes, m	o/day/yr sample was
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped							
1 Steel	3 RMP (SR)	6 Asbestos-Cement 9 Other (Specify be			low) W	/elded	
2 PVC	4 ABS		7 Fiberglass	S	DR-26	T	hreaded
Blank casing Diameter 5 in. to 24 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214							
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
	RFORATION OPENIN	G ARE:		ızed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERVALS: from 24 ft. to 30 ft., From ft. to ft.							
from				t. to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: from 24				nt. to 30	ft., From	ft. to	ft.
from ft. to ft., From ft. to ft.  6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals:		to 24	ft., From	ft.		ft., From	ft. to ft.
What is the nearest source of possible contamination:			14, 1 1011	10 Livestock pens			bandon water well
1 Septic tank 4 Lateral lines			7 Pit privy	7 Pit privy 11 Fuel storage		rage 15 C	oil well/Gas well
2 Sewer lines 5 Cess pool			8 Sewage lag	Sewage lagoon 12 Fertilizer storage		er storage 16 C	Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Appare						Apparent	
Direction from well? How many feet?							
FROM TO		HOLOGIC LOG		FROM	TO	PLUGGING INTER	RVALS
0 2 2 10	topsoil				-	,	
10 30	sandy clay medium to						
10 50	MEGTAM CO	CUALSE S	anu		+		
					+ +		
						· ·	
					1 1		
ļ							
	]				1 1		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)							
Under the business name of Harp Well & Pump Service. Inc. by (signature)  Jane Frederick							
791 yane o reaenak							