


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>NW</u> <u>SW</u> $\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	<u>20</u>	<u>T 26 S</u>	<u>R 1E E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>4816 N. Seneca Wichita, Ks.</u>					
2 WATER WELL OWNER:		J.R. Pruitt Constr.			
RR#, St. Address, Box # :		<u>4816 N. Seneca</u>			
City, State, ZIP Code :		<u>Wichita, Ks.</u>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>40</u> ft. ELEVATION:			
<div style="text-align: center;"></div>		Depth(s) Groundwater Encountered 1. .... ft. 2. .... ft. 3. .... ft.			
		WELL'S STATIC WATER LEVEL <u>15</u> ft. below land surface measured on mo/day/yr <u>6-1-90</u>			
		Pump test data: Well water was .... ft. after .... hours pumping .... gpm			
		Est. Yield .... gpm: Well water was .... ft. after .... hours pumping .... gpm			
		Bore Hole Diameter <u>11</u> in. to <u>40</u> ft. and .... in. to .... ft.			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped ....			
1 Steel		3 RMP (SR)		Welded ....	
2 PVC <u>160</u>		4 ABS		Threaded ....	
Blank casing diameter <u>5</u> in. to <u>31</u> ft., Dia. .... in. to .... ft.		5 Wrought iron			
Casing height above land surface <u>12</u> in., weight <u>2.29</u> lbs./ft. Wall thickness or gauge No. <u>214</u>		6 Asbestos-Cement			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 Fiberglass			
1 Steel		3 Stainless steel		5 Fiberglass	
2 Brass		4 Galvanized steel		6 Concrete tile	
SCREEN OR PERFORATION OPENINGS ARE:		7 PVC			
1 Continuous slot		3 Mill slot		8 RMP (SR)	
2 Louvered shutter		4 Key punched		9 ABS	
SCREEN-PERFORATED INTERVALS: From <u>31</u> ft. to <u>40</u> ft., From .... ft. to .... ft.		10 Asbestos-cement			
GRAVEL PACK INTERVALS: From <u>24</u> ft. to <u>40</u> ft., From .... ft. to .... ft.		11 Other (specify) ....			
From .... ft. to .... ft., From .... ft. to .... ft.		12 None used (open hole)			
6 GROUT MATERIAL:		1 Neat cement			
Grout Intervals: From <u>4</u> ft. to <u>24</u> ft., From .... ft. to .... ft.		2 Cement grout			
What is the nearest source of possible contamination:		3 Bentonite			
1 Septic tank		4 Lateral lines		4 Other ....	
2 Sewer lines		5 Cess pool		10 Livestock pens	
3 Watertight sewer lines		6 Seepage pit		11 Fuel storage	
Direction from well? <u>Southeast</u>		7 Pit privy		12 Fertilizer storage	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS		8 Sewage lagoon			
0 3 topsoil		9 Feedyard			
3 11 clay		10 Insecticide storage			
11 21 fine sand		11 None (open hole)			
21 30 medium sand		12 Other (specify below)			
30 31 clay		13 Insecticide storage			
31 40 medium sand		14 Abandoned water well			
		15 Oil well/Gas well			
		16 Other (specify below)			
		How many feet? <u>85</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-1-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>236</u> This Water Well Record was completed on (mo/day/yr) <u>7-25-90</u> under the business name of <u>Harp Well and Pump Service, Inc.</u> by (signature) <u>Mary Arnold</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					