


1 LOCATION OF WATER WELL: County: <u>Sequoyia</u>	Fraction <u>SW SE SW NE</u> <u>1/4</u> <u>1/4</u> <u>1/4</u>	Section Number <u>29</u>	Township Number T <u>26</u> S	Range Number R <u>1</u> E EW
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

401 W. 41st N. Wichita

2 WATER WELL OWNER: <u>Douglas W. Kellerby</u> RR#, St. Address, Box # : <u>401 W. 41st N</u> City, State, ZIP Code : <u>Wichita, KS, 67204</u>	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>29</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <u>9</u> ft. 2. <u>9</u> ft. 3. <u>9</u> ft. WELL'S STATIC WATER LEVEL <u>9</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>20</u> ft. after <u>2</u> hours pumping <u>20</u> gpm Est. Yield <u>20</u> gpm: Well water was <u>20</u> ft. after <u>2</u> hours pumping <u>20</u> gpm Bore Hole Diameter: <u>8</u> in. to <u>29</u> ft., and <u>29</u> in. to <u>29</u> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>  </u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No <u>  </u>
---	--

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Blank casing diameter <u>5.5</u> in. to <u>29</u> ft., Dia <u>14</u> in. to <u>29</u> ft., Dia <u>14</u> in. to <u>29</u> ft. Casing height above land surface <u>14</u> in., weight <u>14</u> lbs./ft. Wall thickness or gauge No. <u>30R 26</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) <u>7 PVC</u> 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) <u>29</u> SCREEN-PERFORATED INTERVALS: From <u>19</u> ft. to <u>29</u> ft., From <u>19</u> ft. to <u>29</u> ft., From <u>19</u> ft. to <u>29</u> ft. GRAVEL PACK INTERVALS: From <u>19</u> ft. to <u>29</u> ft., From <u>19</u> ft. to <u>29</u> ft., From <u>19</u> ft. to <u>29</u> ft.
---

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <u>3</u> ft. to <u>5</u> ft., From <u>3</u> ft. to <u>5</u> ft., From <u>3</u> ft. to <u>5</u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>South</u> How many feet? <u>150</u>
---

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Topsoil			
3	4	Clay w/ sand			
5	9	Clay w/ sand			
9	29	Fine sand / some rock			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-17-93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>none</u> This Water Well Record was completed on (mo/day/yr) <u>5-17-93</u> under the business name of <u>none</u> by (signature) <u>[Signature]</u>
--