

1 LOCATION OF WATER WELL:		FRACTION		Section Number		Township Number		Range Number	
Sedgwick		NW 1/4 SE 1/4 SW 1/4		30		T 26 S		R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city?									
3915 N. Charles Wichita, Kansas									
2 WATER WELL OWNER:		BROWN, Robert		Board of Agriculture, Division of Water Resource					
RR#, ST. ADDRESS, BOX #:		3915 N. Charles		Application Number:					
CITY, STATE, ZIP CODE:		Wichita, Kansas		67204					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION:							
		Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.							
		WELL'S STATIC WATER LEVEL 12 FT. BELOW LAND SURFACE MEASURED ON 06/29/1993							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 12 in. to 40 ft., and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED:		CASING JOINTS:							
1 Steel 3 RMP (SR)		5 Wrought iron		8 Concrete tile		Glued X Clamped			
2 PVC 4 ABS		6 Asbestos-Cement		9 Other (Specify below)		Welded			
		7 Fiberglass		SDR-26		Threaded			
Blank casing Diameter 5 in. to 20 ft., Dia		in. to ft., Dia		in. to ft., Dia		in. to ft., Dia			
Casing height above land surface 14 in., weight 2.35 lbs. / ft.		Wall thickness or gauge No. .214							
TYPE OF SCREEN OR PERFORATION MATERIAL:		10 Asbestos-cement							
1 Steel 3 Stainless Steel		5 Fiberglass		8 RMP (SR)		11 other (specify)			
2 Brass 4 Galvanized steel		6 Concrete tile		9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped		8 Saw cut		11 None (open hole)			
1 Continuous slot 3 Mill slot		6 Wire wrapped		9 Drilled holes					
2 Louvered shutter 4 Key punched		7 Torch cut		10 Other (specify)					
SCREEN-PERFORATION INTERVALS:		from 20 ft. to 40 ft., From		ft. to ft.					
GRAVEL PACK INTERVALS:		from 20 ft. to 40 ft., From		ft. to ft.					
6 GROUT MATERIAL:		1 Neat cement		2 Cement grout		3 Bentonite		4 Other	
Grout Intervals: From 0 ft. to 20 ft., From		ft. to ft.		ft. to ft.		ft. to ft.			
What is the nearest source of possible contamination:		10 Livestock pens		14 Abandon water well					
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage					
Direction from well? West		How many feet? 100							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 2 topsoil									
2 10 clay									
10 20 silty sand									
20 40 medium to coarse sand									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:		This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 06/29/1993 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 07/06/93 Under the business name of Harp Well & Pump Service, Inc. by (signature) Jane Frederick							