T				WELL RECORD F	orm WWC-5			
-	_ ^	TER WELL:	Fraction	5w 4 51		tion Number	Township Number	
County:	Sed	dom populat town			U 1/4	30		S R / (E)W
Distance a	and direction	nom nearest town	or city street add	ress of well if located	within City?			
			4-74					
WATE	R WELL OW	NER: GUY × # : 3847	5 JEHICH	ENIDAL				
RR#, St.	Address, Bo	×#:3847	W. HIP		. /		Board of Agricult	ure, Division of Water Resource
City, State	e, ZIP Code	: WICH	+ 1574 , 35	10 100°	7		Application Num	
LOCAT	E WELL'S L IN SECTIO							
		<u> </u>						. ft. 3
₹ l	-			-				ay/yr . 4 13 92
l .	NW	NE						rs pumping gp
	1							rs pumping gp
<u>*</u> w	ı		ore Hole Diamete	or 🏏in. to			and	in. to
₹ "	!	l i l'w	ELL WATER TO	BE USED AS: 5	Public water	er supply	8 Air conditioning	11 Injection well
7 L	<u> </u>	- "	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering	12 Other (Specify below)
l ľ	737-	35	2 Irrigation	4 Industrial 7	Lawn and g	garden only	0 Monitoring well	
1 1	$\smile_{\mathbf{I}}$	ı	/as a chemical/ba	cteriological sample sul	bmitted to De	epartment? Ye	esNoX; (f yes, mo/day/yr sample was s
_		m	itted			Wa	er Well Disinfected? Ye	es X, No
TYPE	OF BLANK (CASING USED:		Wrought iron	8 Concre	ete tile	CASING JOINTS:	Glued . X Clamped
1 St	eel	3 RMP (SR)	(Asbestos-Cement	9 Other	(specify below		Welded
2 PI	/C	4 ABS	.6	7 Fiberglass				Threaded
Blank casi	ng diameter	<i>5</i> in.	. to / 8	ft., Dia	in. to		ft Dia	in. to
Casing he	ight above la	and surface	<i>12</i> ir	n., weight 2.5	O	lbs./	t. Wall thickness or gau	ge No
		R PERFORATION I		.,	7 PV		10 Asbestos	•
1 St		3 Stainless st		5 Fiberglass		IP (SR)		ecify)
2 Br		4 Galvanized		Concrete tile	9 AB	` '		d (open hole)
		RATION OPENINGS		5 Gauzed		•		11 None (open hole)
	ontinuous slo			6 Wire wr			9 Drilled holes	11 None (open note)
	uvered shut	•			ut 28			
		ED INTERVALS:	From	ft to	" 28 °	ft From		ft. to
OOHLLH	LI II OLIA	ED INTERIVACO.	From	ft to		ft From	n	ft. to
(SRAVEL PA	CK INTERVALS:	From	A tto		ft From	n	ft. to
`	3117, VEL 17,	OK INTERIVALO.	From	ft. to		ft., Fror		ft. to
GROUD	MATERIAL	· 1 Neat cen			3 Bento			
Grout Inte	nyals: Fro	3 - 110 ft	13	ft From	ff	to.	ft From	ft. to
								14 Abandoned water well
What is the nearest source of possible cor 1 Septic tank 4 Lateral li			7 Pit privy		10 Livestock pens 11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess po					-			
3 Watertight sewer lines 6 Seepage			8 Sewage lagoon t 9 Feedyard		12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage			
			e pit	9 reedyald			·	• • • • • • • • • • • • • • • • • • • •
Direction 1 FROM	TO TO	EASI	LITHOLOGIC LO	ng .	FROM	How mar		NG INTERVALS
	27		5012	, <u>u</u>	1 1 1 O IVI	- 10	1 2000	IN INTERIVALS
\mathcal{L}	172		V Sanc	1				
	28			ze GRavel	L			
13	α	WILLIAMA	a rea 5	128 GICAUN				
-								
	ļ							
CONT	RACTOR'S	OR LANDOWNER'S	CERTIFICATION	N: This water well was	(1) constru	cted, (2) reco	estructed_or (3) plugge	d under my jurisdiction and wa
Completed C	on (mo/day	(vear) 4-13	7-7'2			and this reco	d is true to the best of n	d under my jurisdiction and wa ny kn <u>owledge an</u> d belief. Kansa
· · · · · · · · · · · · · · · · · · ·	Contractor	,	717	This Water Well		/ _	_ / _	- 17-72
			. 1.1.	THIS VANIER VALUE			און (וואעטטערוו) וון	
		-	TOPIL	1 -	necolu wa			Pullane
under the	business na	me of	T DRILL	ling		by (signat	ure)	Three copies to Kansas Department