			WATE	R WELL RECOR	D Form V	WC-5 KSA 82	a-1212				,
1 LOCAT	ION OF WA	TER WELL:		VW SW SE		Section Number		hip Number		Range Nu	ımber
	sedgwid		350 1/4		NE 1/4		Т	26 5	<u> </u>	R 1 E	E/ V
Distance	and direction	from nearest town	n or city street a			city?					
13	332 W. 3	4th St. No			, Kansas						
2 WATE	R WELL OV	VNER: Josep	h R. Blaha								
RR#, St.	Address, Bo		W. 34th St				Boar	d of Agricult	ure, Divisi	on of Water	r Resources
	e, ZIP Code		<u>ta, Kansas</u>					cation Num			
3 LOCAT	'E WELL'S L ' IN SECTIO					ft. ELEV					
AIV A	IN SECTIO	N 1	Depth(s) Ground	water Encountere	ed 1	7 ft.	2		ft. 3	E E 03	
ī	!	! !				. ft. below land su					
1 1	NW	NE	Pump	p test data: Wel	l water was	, ft. a	after	hou	rs pumping	g	gpm
	1		Est. Yield	gpm: Wel	l water was	ft. a	after	hou	rs pumpino	g	gpm
≝ w l	<u> i </u>	X I	Bore Hole Diame	eter11i	n. to		and		in. to		
* w	t	, ,	WELL WATER T	TO BE USED AS:	: 5 Publi	c water supply	8 Air conditi	oning	11 Inject	tion well	
ī l	SW	SE	1 Domestic	3 Feedlot	6 Oil fie	eld water supply	9 Dewaterin	g	12 Other	r (Specify b	elow)
	1	;	2 Irrigation	4 Industria	ıl 7 <u>Lawn</u>	and garden only	10 Observati	on well			
1 L	i		Was a chemical/	bacteriological sar	mple submitte	d to Department? Y	esN	o; I	f yes, mo/o	day/yr samp	ole was sub-
<u> </u>			mitted				ater Well Disi			No	
5 TYPE	OF BLANK (CASING USED:		5 Wrought iron	8	Concrete tile	CASIN	G JOINTS:	Glued	X Clampe	ed
1 St	eel	3 RMP (SR)	6 Asbestos-Cer		Other (specify belo					
2 P		4 ABS		7 Fiberglass		Cer-Mac sty					
						.in. to					
				.in., weight	1.59	Ibs.	ft. Wall thick	ness or gau	ge No	.203	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:			7 PVC	10	Asbestos-	cement		
1 St		3 Stainless	steel	5 Fiberglass		8 <u>RMP (SR)</u>	1	Other (spe	ecify)		
2 Br		4 Galvanize		6 Concrete tile		9 ABS	12	None use	d (open ho	ole)	
		RATION OPENING			Gauzed wrap		8 Saw cut	•	11	None (open	n hole)
	ontinuous slo			6	Wire wrapped	l	9 Drilled h				
	ouvered shut		y punched	-	Torch cut		10 Other (s	• • •			
SCREEN-	PERFORAT	ED INTERVALS:				ft., Fro					
						ft., Fro					
(GRAVEL PA	CK INTERVALS:				ft., Fro					
cl cpour	T A A A TERIAL	4 No. 4	From			ft., Fro			ft. to		ft.
Grout Inte	T MATERIAL			2 Cement grout			Other				,
				4 ft., From .		. ft. to	-				
	e nearest st eptic tank	ource of possible o		7 04			stock pens			oned water	well
	ewer lines	4 Latera		7 Pit priv	-	11 Fuel	_			II/Gas well	
		5 Cess p rer lines 6 Seepa		8 Sewag	_		izer storage			(specify belo	
	from well?	rer imes 6 Seepa	ge pit	9 Feedya	aro		cticide storage	, MOI	te. Whhe	arent	
FROM	TO		LITHOLOGIC	LOG	FRO	How ma	ny teet?	LITHO	LOGIC LO	26	
0	3	Topsoil	Litiozodio	200		5.W 10		LITTIC	LOGIO LO		
3	11	Clay									
11	23	Fine Sand	4								
23	40	Medium Sa									
		TICGICAL DE									
		1									
							4-7-				
									.,_		
										,	
											1
7 CONT		OR LANDOWNER	e CERTIFICATI	ON: This water w	(1) o	anetructed (2) reco	enetruoted or	(2) plugge	Lunder m	v juriediction	n and was
	ACTORS (THE LANDOWNER	5 CERTIFICATION	ON: This water w	ven was (1) g	onstructed, (2) reco	onstructed, or	(3) plugged	v knowled	y jurisuiction	of Kaneae
Motor M/-	on (mo/day/	year) 5-5-	*85 236	This 18/-	tor Mall Dage	and this reco	on (mo/dov/:	He Destot M N			ei. Naiisas
	business na	me of Hamm	Woll & D	mp Service,	Tno	ord was completed by (signa			Lu D		
INSTRUC	TIONS: Lise	typewriter or ball n	oint pen PIFAS	E PRESS FIRM	Yand PRINT	clearly. Please fill i	n blanks, und	erline or circ	le the corr	ect answers	s. Send top
three copie	es to Kansas	Department of Hea	alth and Environm	nent, Division of E	nvironment, Er	nvironmental Geolog	gy Section, To	peka, KS 66	620. Send	one to WA	TER WELL
		ne for your records					VI				
											MI