1				WELL RECORD	FORM VVVC-					
1 LOCATION OF WATER WELL:			Fraction			ction Number	Township		Range N	
County:	Sedawi	ck	NE 1/4		SE 1/4	31	т 2	6 s	<u> R 1E</u>	E/ y (
Distance ar	nd direction	from nearest town		dress of well if locat						
Stev	ve Gardı	ner Constr.	Hutch, K	s. JOB: 11	21 W. 33r	d N. Wi	chita, Ks	•		
2 WATER	WELL OW	NER: Joe Se	eck							
RR#. St. A	ddress. Bo	×# : 1121 W	. 33rd N.				Board of	of Agriculture, [Division of Wate	r Resource
City, State,		Wichita						tion Number:		
				MPLETED WELL.	40	4 FI FI /A7				
AN "X" I	IN SECTION	N BOX:	epth(s) Groundw	ater Encountered	1	ft. 2		ft. 3		🚗ft.
₮		ı	VELL'S STATIC \	WATER LEVEL	.5 ft. t	elow land surf	ace measured	on mo/day/yr	3-0-3	
	1	1		test data: Well wa						
-	- NW	NE E	st. Yield	. gpm: Well wa	ter was	ft. af	ter	hours pui	mping	
`.	- i - I			er11in. to						
∯ w ├	<u> </u>		VELL WATER TO		5 Public water		B Air condition		Injection well	
-	i								Other (Specify I	holow)
-	- SW	SE	1 Domestic	3 Feedlot			_			
1 1	1	1	2 Irrigation	4 Industrial		·		Y		
L	1		Vas a chemical/ba	acteriological sample	submitted to D	•				ple was su
<u>, </u>		, m	nitted			Wat	er Well Disinfe	cted? Yes X	No	
TYPE O	F BLANK C	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING	JOINTS: Glued	I 🐰 Clamp	ed
1 Ste	el	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify_below)	Welde	ed	
2 PV	С	A ARS		7 Eiborgloog		(specify below SDR-26	, <i>.</i>		ded	
Blank casin	o diameter	5 in	to 22	ft., Dia	in to				n. to	
Cacina baic	aht ahovo la	and ourface	. 12	n., weight	2.29	**************************************			214	
				n., weight	 	, , IDS./Π	. wall thicknes	ss or gauge inc	.214	
		R PERFORATION				'C	10 /	Asbestos-ceme	nt	
1 Ste	ei	3 Stainless s	steel	5 Fiberglass	8 RN	(P (SR)	11 (Other (specify)		
2 Bra	ss	4 Galvanized	t steel	6 Concrete tile	9 AB	S	12 1	None used (ope	en hole)	
SCREEN C	R PERFOR	RATION OPENINGS	S ARE:	5 Gau	zed wrapped	`	8 Saw cut		11 None (ope	n hole)
1 Cor	ntinuous slo	t 3 Mill	slot	6 Wire	wrapped		9 Drilled hole			
2 Lou	vered shutt	er 4 Kev	punched	7 Torc						
		ED INTERVALS:	From	22 ft. to .	40	4 From	To Other (spe	Ony)		4
OOMELIT		D INTERVALO.								
•	DAVEL DA	OK INTERVALO	FIOIII	ft. to .	40	,π., From	1	π. τα)	π
G	HAVEL PAG	CK INTERVALS:		21 ft. to .						ft
1			From					ft. to)	ft
_	MATERIAL			Cement grout	3 Bènto	initè `hole (oth u rg.			
Grout Interv	vals: Fror	n	. to 21	ft., From	 ft.	to	ft., From		. ft. to	ft
What is the	nearest so	urce of possible co	ntamination:			10 Livesto	ock pens	14 At	andoned water	well
1 Sep	otic tank	4 Lateral	lines	7 Pit privy		11 Fuel s	torage	15 Oi	well/Gas well	
2 Sewer lines 5 Cess poo		ool	· · · · · · · · · · · · · · · · · · ·							
3 Watertight sewer lines 6 Seepage										
	_	er imes o seepag	e bit	9 Feedyard			cide storage			
FROM FROM	TO TO		LITHOLOGIC LO	20	1 50014	How many	y feet?	None A	pparent	
0	3	topsoil	LITHOLOGIC LO	<u> </u>	FROM	то		PLUGGING IN	TERVALS	
-3 +	8	clay								
8	18	fine sand								
18	30	medium_to	coarse sar	nd						
30	31	clay								
31	40	medium sar	nd							
		ilieu tulij sat	IU							
			· · · · · · · · · · · · · · · · · · ·		-					
					, •					
						 				
CONTRA	ACTOR'S C	R LANDOWNER'S	CERTIFICATION	N: This water well w	vas (1) constru	cted, (2) recon	structed, or (3) plugged unde	er my iurisdictio	on and was
ompleted o	on (mo/day/	year) 9-6-9		N: This water well w	7 - 3 - 3 - 3	and this record	is true to the	hest of my kno	wledge and bel	ief Kansac
•	•	S License No	236	This Motor V	Vell Record wa			- 1 -	10-91	
				np Service,	Tnc.	•	// YY/A	41 /11	and i	
	usiness nar					by (signatu	- 77	uy wu		
INSTRUC	CTIONS: Use ty	pewriter or ball point per	n. PLEASE PRESS FIF	RMLY and PRINT clearly. F '320. Telephone: 913-296-	Please fill in blanks,	underline or circle	the correct answers		opies to Kansas Dep	partment