COUNTY Sedgwick NW V SE V SE V Setion Number Township Number Range Number Township Number Range Nume	r Resourceftgpigpift
istance and direction from nearest town or city street address of well if located within city? 3131 Cromwell Wichita, Kansas WATER WELL OWNER: Krutchmer, Kent Iff#, St. Address, Box # : 3131 Cromwell Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#, St. Address, Box # : 15 file EVATION: Iff#,	r Resourceft.
WATER WELL OWNER: Krutchmer, Kent R#, St. Address, Box # : 31.31 Cromwell Board of Agriculture, Division of Water Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 3-11-91 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden_only 10 Monitoring well water Water Well Disinfected? Yes No TYPE OF BLANK CASING USED: 5 Wrought iron 1 Steel 3 RMP (SR) 6 Asbestos-Cement 2 PVC 4 ABS 7 Fiberglass Cext-Mac Stykene SDR-26 Threaded Into to asing diameter 6 into 30 ft. Dia into 15s/ft. Dia into 255 ABB (SR) 11 Other (Specify)	gpi gpi gpi
WATER WELL OWNER: Krutchmer, Kent R#, St. Address, Box # 3131 Cromwel1 Board of Agriculture, Division of Water Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL. 15 ft. below land surface measured on mo/day/yr 3-11-91 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Est. Yield spm: Well water was ft. after hours pumping Bore Hole Diameter 11 in. to ### Comment of the pumping ft. After the pumping ft. after f	gpi gpi gpi
Board of Agriculture, Division of Water Application Number: Agriculture, Division of Water Application Number: Application Number:	gpi gpi gpi
Application Number: 4	gpi gpi gpi
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 3-11-91 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 11 in. to 45 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No. X if yes, mo/day/yr samp mitted 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass Cex-Mac Styxene SDR-26 Threaded. 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	ft.
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 15. ft. below land surface measured on mo/day/yr 3-11-91 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 11. in. to 45. ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No. X. if yes, mo/day/yr samp mitted Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X. Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X. Clampe 2 PVC 4 ABS 7 Fiberglass Cer-Mac Styrene SDR-26 Threaded ank casing diameter 6 in. to 30 ft., Dia in. to ft., Dia in. to asing height above land surface 12 in., weight 3 32. Ibs./ft. Wall thickness or gauge No. 255. YPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 160PSI 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	ft.
WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 3-11-91 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 11 in. to 45 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No. X if yes, mo/day/yr samp mitted Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Cert—Mac Styrene SDR-26 Threaded ank casing diameter 6 in. to 30 ft., Dia in. to 30 ft., Dia in. to 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 PVC 160PSI 10 Asbestos-cement 10 Other (specify)	Lgpi gpi f pelow)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes	ple was su
Was a chemical/bacteriological sample submitted to Department? Yes No. X If yes, mo/day/yr sample submitted to Department? Yes No. X No. X	ple was su
S mitted Water Well Disinfected? Yes X No TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Cer-Mac Styrene SDR-26 Threaded. lank casing diameter 6 in to 30 ft., Dia in to ft., Dia in to asing height above land surface 12 in., weight 3.32 Ibs./ft. Wall thickness or gauge No. 255. YPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 160PSI 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clampe 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Cer-Mac Styrene SDR-26 Threaded International Styrene SDR-26 Threaded International Styrene SDR-26 Threaded International International Styrene SDR-26 Threaded International Internat	ed
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	ed
2 PVC 4 ABS 7 Fiberglass Cer-Mac Styrene SDR-26 Threaded. lank casing diameter 6 in to 30 ft., Dia in to ft., Dia in to asing height above land surface 12 in, weight 3.32 lbs./ft. Wall thickness or gauge No255. YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
lank casing diameter 6 in. to 30 ft., Dia in. to	
Assing height above land surface	
Casing height above land surface	f
YPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	·
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open	n hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
CREEN-PERFORATED INTERVALS: From	<i></i>
From ft. to ft., From ft. to	f
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
rout Intervals: From4ft. toft., From	
	wen
to other (epoon) both	ow)
North	
irection from well? How many feet? 10 FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 3 topsoil	
3 15 clay	
15 21 fine sand	
21 29 medium sand to small gravel	
29 30 clay	
30 45 medium sand to small gravel	
30 45 median band to bindle 50 bindle	
	
mpleted on (mo/day/year)	n and wa ief. Kansa
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction ompleted on (mo/day/year)	en and wai ief. Kansa