

1 LOCATION OF WATER WELL:		FRACTION <u>SE SE NW SW</u>		Section Number		Township Number		Range Number			
Sedgwick		NN 1/4 NN 1/4 SW 1/4		31		T 26 S		R 1E E/W			
Distance and direction from nearest town or city street address of well if located within city?											
3220 Carlock Wichita, Kansas											
2 WATER WELL OWNER: PITTS, Rod											
RR#, ST. ADDRESS, BOX #: 3220 Carlock											
CITY, STATE, ZIP CODE: Wichita, Kansas											
Board of Agriculture, Division of Water Resource											
Application Number:											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 35 ft. ELEVATION:									
		Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.									
		WELL'S STATIC WATER LEVEL 12 FT. BELOW LAND SURFACE MEASURED ON 06/30/1992									
		Pump test data: Well water was ft. after hours pumping gpm									
		Est. Yield gpm : Well water was ft. after hours pumping gpm									
		Bore Hole Diameter in. to ft. , and in. to ft.									
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											
1 Domestic 3 Feedlot 6 Oil field water supply 9 dewatering 12 Other (Specify below)											
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well											
Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted											
Water Well Disinfected? Yes X No											
5 TYPE OF CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped											
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (Specify below) Welded											
7 Fiberglass Threaded X											
Blank casing Diameter 1 1/4 in. to ft. , Dia in. to ft. , Dia in. to ft.											
Casing height above land surface 36 in., weight lbs. / ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement											
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 other (specify)											
12 None used (open hole)											
SCREEN OR PERFORATION OPENING ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes											
7 Torch cut 10 Other (specify)											
SCREEN-PERFORATION INTERVALS: from ft. to ft. , From ft. to ft.											
GRAVEL PACK INTERVALS: from ft. to ft. , From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From 2 ft. to 8 ft., From ft. to ft. , From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandon water well											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)											
13 Insecticide storage											
Direction from well? Southeast How many feet? 25											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
						0		2		surface clays	
						2		8		cement grout	
						8		12		bentonite hole plug	
						12		35		chlorinated sand and gravel	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 06/30/1992 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 8-28-92 Under the business name of Harp Well & Pump Service, Inc. by (signature) <i>Jane Mederich</i>											