DCATION OF WAR		14 NU) 14 SC	Section 3		Number S s	Range Number
	from nearest town or city stree			~ -	16 3	
	3348 N/H	KK91595				
ATER WELL OW		DarnaLL		•		
, St. Address, Bo)× # : 77 10		0			Division of Water Resource
State, ZIP Code				WICHITY ME		
CATE WELL'S L I "X" IN SECTIO	N ROY∙ ⊢					
	Deptin(s) Grou	indwater Encountered 1				
NW		ump test data: Well water gpm; Well water			-	
	1 ' 1	meterin. to				
^ 	 		Public water sup			Injection well
1	1 Domes	tic 3 Feedlot 6	Oil field water su	upply 9 Dewaterin	g 12	Other (Specify below)
sw	2 Irrigation	n 4 Industrial 7	Lawn and garde	n only 10 Observation	on well	
<u> </u>	Was a chemic	al/bacteriological sample sul	bmitted to Depart		. ,	mo/day/yr sample was su
	ş mitted			Water Well Disir		No
	CASING USED:	5 Wrought iron	8 Concrete til		G JOINTS: GILL	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	Other (spec	cify below	# W Un	ed
PVC	4 ABS	7 Fiberglass	in to	# Die	•	ded in. to f
-	and surface	•		•		
,	OR PERFORATION MATERIAL:	III., Weight	7 PVC		Asbestos-ceme	
Steel	3 Stainless steel	5 Fiberglass	8 RMP (S			···
Prass	4 Galvanized steel	6 Concrete tile	9 ABS		None used (op	
EN OR PERFO	RATION OPENINGS ARE:	5 Gauzed	wrapped ~	, A Saw cut		11 None (open hole)
Continuous sk	ot 3 Mill slot	6 Wire wr	rapped	9 Prilled h	oles	
Louvered shut	tter 4 Key punched	7 Torch c	eut	10 Other (s	pecify)	
EN-PERFORAT	ED INTERVALS: From	ft. to		ft From	ft to	5
GRAVEL PA		ft. to ft. to ft. to	£ ,	ft., From	ft. to	o
ROUT MATERIAI Intervals: Fro	ACK INTERVALS: From From L: 1 Neat cement om	2 Cement grout ft. to 2 The state of the s	3, Bentonite	tt., From trom Other ft., From	ft. to	Phog.
OUT MATERIAL Intervals: Fro	ACK INTERVALS: From From L: 1 Neat cement	ft. to 2 Cement grout ft., From	3 Bentonite	ft., From	ft. to	ft. to
OUT MATERIAI Intervals: Fro	ACK INTERVALS: From From L: 1 Neat cement om	2 Cement grout ft. to 2 The state of the s	3, Bentonite	tt., From trom Other ft., From	ft. to ft	phog ft. to
OUT MATERIAL Intervals: Fro is the nearest so Septic tank Sewer lines	L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines	2 Cement grout 7 Pit privy	3, Bentonite to	ft., From From Other Other Other The From Other The From T	ft. to ft	ft. to sandoned water well
OUT MATERIAL Intervals: From the nearest second tender Septic tank Sewer lines Watertight seven	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Control Other It., From Other It., From	ft. to ft	ft. to sandoned water well
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From t From Other Other Livestock pens True storage Fertilizer storage Insecticide storage	ft. to ft	of the state of th
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? In TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? In TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? In TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the to the control of the control
OUT MATERIAL Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the state of th
OUT MATERIAL Intervals: From its the nearest so septic tank Sewer lines Watertight sever in from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the state of th
OUT MATERIAL Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement omft. to ource of possible contamination: 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other Livestock pens The Froil From The Storage The Froil From The Storage The Froil From The Storage The From The From	ft. to ft	of the state of th
OUT MATERIAI Intervals: Fro s the nearest so Septic tank Sewer lines Watertight sev on from well? M TO	ACK INTERVALS: From From L: 1 Neat cement om	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Cother Cot	14 Al 15 O 16 O LITHOLOG	ft. to pandoned water well il well/Gas well ther (specify below)
OUT MATERIAI Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev ion from well? M TO	ACK INTERVALS: From From L: 1 Neat cement om	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Cother Cot	14 Al 15 O 16 O LITHOLOG	ft. to pandoned water well il well/Gas well ther (specify below)
OUT MATERIAI Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? M TO D 3 O O O O O O O O O O O O O O O O O O O	ACK INTERVALS: From From L: 1 Neat cement om	7 Pit privy 8 Sewage lagoo 9 Feedyard	3, Bentonite to	ft., From Other Other It., From Other It., From I	14 Al 15 O 16 O LITHOLOG	ft. to pandoned water well il well/Gas well ther (specify below)
OUT MATERIAL Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? M TO D 3 ONTRACTOR'S eted on (mo/day Well Contractor	ACK INTERVALS: From From L: 1 Neat cement om	7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other It. From Other Other It. From Other It. From It. From Other It. From It. From Other It. From It. Fr	14 Al 15 O 16 O LITHOLOG	ft. to pandoned water well il well/Gas well ther (specify below)
OUT MATERIAI Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? M TO D TO O O O O O O O O O O O O O O O O O O	ACK INTERVALS: From From L: 1 Neat cement om	7 Pit privy 8 Sewage lagoo 9 Feedyard ATION: This water well was	3 Bentonite to	ft., From Other Other It., From Other It., From It., Fro	14 Al 15 O 16 O LITHOLOG (3) plugged und the best of my knor)	ft. to pandoned water well if well/Gas well ther (specify below) IC LOG er my jurisdiction and woowledge and belief. Kans
OUT MATERIAI Intervals: Fro is the nearest so Septic tank Sewer lines Watertight sev on from well? M TO D 3 ONTRACTOR'S eted on (mo/day Well Contractor the business na	ACK INTERVALS: From From L: 1 Neat cement om	7 Pit privy 8 Sewage lagoo 9 Feedyard ATION: This water well was 7 Pit water well was 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentonite to	ft., From Other Other It. From Other It. From Other It. From It. F	14 Al 15 O 16 O LITHOLOG (3) plugged und the best of my knor) erline or circle the	oft. to condoned water well il well/Gas well ther (specify below) IC LOG er my jurisdiction and wo owledge and belief. Kans