		*****	R WELL RECORD	Form WWC-5	KSA 82a			
LOCATION OF WAT	*	Fraction	SC		tion Number	Township N		Range Number
unty: Secol	VICK	<u> SE 14</u>			33	т 26	<u>s</u> _	R / (E)W
			ddress of well if locate	ed within city?				M/ 11
801	$E = 3^{1}/1$		HITA					MW-51
WATER WELL OW						Doord of	A	Distalan at Materia
#, St. Address, Box	, ,		/ 6 ~ /					Division of Water Resource
, State, ZIP Code	2012	HITA KS	0 / 40 9	115			n Number:	
N "X" IN SECTION								
	1)
	1 1 1							12-14-89
NW	NE							mping gpn
!	!!!	Est. Yield	gpm: well war	ter was	ft. a	tter	. hours pu	imping gpn
w - ' - '	E]		eter					. to
		1 Domestic		5 Public water		8 Air conditioning		Injection well
SW	SE	2 Irrigation	4 Industrial	7 Laws and 6	er supply	Dewatering	12	Other (Specify below)
1 ! !		•						, mo/day/y <u>r_sample</u> was su
<u> </u>		mitted	bacteriological sample	Submitted to Di		er Well Disinfect	-	, mo/day/yr sample was su
TYPE OF BLANK C		Timeod	5 Wrought iron	8 Concre				d Clamped
1 Steel	3 RMP (SF	R)	6 Asbestos-Cement		specify below			ed Clamped ed
(2) PVC	4 ABS	• •	7 Fiberglass		· ·	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		aded
nk casing diameter		in to 30		in to		ft Dia	11116	in. to ft
sing height above la	_							. 40
PE OF SCREEN OF			, worgan	Ø _P v			pestos-ceme	
1 Steel	3 Stainless		5 Fiberglass		P (SR)			
2 Brass	4 Galvanize	ed steel	6 Concrete tile	9 AB			ne used (or	
REEN OR PERFOR	RATION OPENING	GS ARE:	5 Gau	zed wrapped		8 Saw cut	, ,	11 None (open hole)
1 Continuous slot	t 3 Mi	ill slot	6 Wire	wrapped		9 Drilled holes		(-)
2 Louvered shutte	er 4 Ke	ey punched	7 Torc	h cut		10 Other (specif	v)	
REEN-PERFORATE	D INTERVALS:	Z						
	ED INTERVALS.	From	7.5 ft. to .	30	ft., Fron	n	ft. t	o
GRAVEL PAG	CK INTERVALS:	From From	ft. to . ft. to . ft. to . ft. to . 2) Cement grout	2.8 (3)Bento	ft., Fronft., Fron ft., Fron	n	ft. t	
GRAVEL PAGE	CK INTERVALS:	From	ft. to . ft. to . ft. to . ft. to . 2) Cement grout	2.8 (3)Bento	ft., Fron ft., Fron ft., Fron nite 4 o	n	ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3From at is the nearest so	CK INTERVALS: 1 Neat cm	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., 3-rom	2.8 (3)Bento	ft., Fron ft., Fron nite 4 to//	Other tt., 2 From ock pens	ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 From at is the nearest so 1 Septic tank	CK INTERVALS: 1 Neat c 1 Neat c 2 8 2 Latera	From	7 Pit privy	3Bento	tt., Fron ft., Fron nite 4 to// 10 Livest	n	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 From at is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS: 1 Neat c 2 2 burce of possible of 4 Latera 5 Cess	From	7 Pit privy 8 Sewage lag	3Bento	tt., Fron ft., Fron nite 4 to// 10 Livest 11 Fuel s	n 2.6 Other ft., 2 From ock pens storage zer storage	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer	CK INTERVALS: 1 Neat c 2 2 burce of possible of 4 Latera 5 Cess	From	7 Pit privy	3Bento	tt., Fron ft., Fron nite 4 to / /	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL ut Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer	CK INTERVALS: 1 Neat c 2 2 burce of possible of 4 Latera 5 Cess	From	7 Pit privy 8 Sewage lag 9 Feedyard	3Bento	tt., Fron ft., Fron nite 4 to// 10 Livest 11 Fuel s	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat cm	From	7 Pit privy 8 Sewage lag 9 Feedyard	2.8 3Bento 1./3 ft.	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well? GOM TO	1 Neat cm	From	7 Pit privy 8 Sewage lag 9 Feedyard	2.8 3Bento 1./3 ft.	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL aut Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer action from well?	1 Neat cm	From	7 Pit privy 8 Sewage lac 9 Feedyard	2.8 3Bento 1./3 ft.	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL aut Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer action from well? ADM TO D 9	1 Neat cm	From	7 Pit privy 8 Sewage lag 9 Feedyard	2.8 3Bento 1./3 ft.	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL at Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewe action from well?	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL at Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewe action from well?	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lac 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o. / 3
GRAVEL PAGE GROUT MATERIAL at Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewe action from well?	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lac 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o. / 3
GRAVEL PAGE GROUT MATERIAL at Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer action from well?	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lac 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL aut Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer action from well?	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lac 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well? GOM TO	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lac 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL aut Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer action from well? GOM TO	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lac 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o. / 3
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well? GOM TO	I Neat compared to the compare	From From Sement of to 26. Contamination: al lines pool age pit LITHOLOGIC LITY CLA	7 Pit privy 8 Sewage lac 9 Feedyard	3 Bento	tt., Front, Fron	Other	ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well? ROM TO O 9 9 1.5 4.5	I Neat com	From From Sement ft. to	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	tt., Fron ft., Fron ft., Fron ft., Fron nite 4 to/./ 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO	n	ft. t ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 Fron at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer section from well? 30M TO 0 9 9 1.5 5 4.5	I Neat com	From From Sement ft. to	7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento	tt., Fron ft., Fron ft., Fron ft., Fron nite 4 to/./ 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO	n	ft. t ft. t ft. t	o
GRAVEL PAGE GROUT MATERIAL aut Intervals: 3 From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer action from well? 3 MATERIAL AUTORIAL AUTORIAL CONTRACTOR'S Copleted on (mo/day/	In Neat of 28	From From Sement of to 26 Contamination: al lines pool age pit LITHOLOGIC LITY CLA LITY SA AND APURO TS CERTIFICATI 13-87	This water well w	3 Bento 1/3 ft.	tted, (2) recorand this recorand	n	tt. tf. tf. tf. tf. tf. tf. tf. tf. tf.	o
GRAVEL PAGE GROUT MATERIAL out Intervals: 3 From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewer action from well? 30M TO 0 9 9 1.5 5 4.5	I Neat community of the	From From Sement of to 26 Contamination: al lines pool age pit LITHOLOGIC LITY CLA LITY SA AND APURO TS CERTIFICATI 13-87	7 Pit privy 8 Sewage lag 9 Feedyard	3Bento 3 Bento 7 / 3 ft.	tted, (2) recorand this recorand	n	tt. tf. tf. tf. tf. tf. tf. tf. tf. tf.	o