		orm WWC-5		2a-1212			
1 LOCATION OF WATER WELL:	Fraction 8W 14 SW	Sec	tion Numbe	T 24	,	Range Number	
County: DEDGWICK Distance and direction from nearest town of			JT	, , , , , ,	, 3		
		•				190	
2 WATER WELL OWNER: Colema	~ Co _ i,					•	
RR#, St. Address, Box # : 250 N. St. Francis			Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : WICHUE		27			on Number:		
J LOCATE WELL'S LOCATION WITH A							
N (De	pth(s) Groundwater Encountered 1.		ft	. 2	ft. 3.		
T	ELL'S STATIC WATER LEVEL						
NW NE	Pump test data: Well water						
.	it. Yield gpm: Well water ore Hole Diameter	was 3.7	ft.	after	hours pur	mping gpm	
₩ 1 1 E BO	ELL WATER TO BE USED AS:	5 Public wate	π. r eupphy	8 Air conditioni			
÷ x						njection well Other (Specify below)	
SW SE						·····	
l wa	as a chemical/bacteriological sample so	_	-	. ~			
S mit	tted		V	Vater Well Disinfed	ted? Yes	No X	
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concre				Clamped	
1 Steel 3 RMP (SR)	6 Asbestos-Cement		(specify bel	=		ed 🗸	
(2)PVC 24 ABS	27 Fiberglass					ded	
Blank casing diameterin. Casing height above land surface	· A1	9.9 in. to		ft., Dia		n. to ft.	
TYPE OF SCREEN OR PERFORATION M	•	DPV			s or gauge No sbestos-ceme)	
1 Steel 3 Stainless ste		_	P (SR)				
2 Brass 4 Galvanized	-	9 AB			one used (ope		
SCREEN OR PERFORATION OPENINGS	ARE: 5 Gauze	d wrapped		8 Saw cut	٠.	11 None (open hole)	
1 Continuous slot 3 Mill s	lot Pripaule 6 Wire w	rapped		9 Drilled holes	\$		
2 Louvered shutter 4 Key p	ounched 7 Torch	cut 27					
SCREEN-PERFORATED INTERVALS:						o	
GRAVEL PACK INTERVALS:	From. 25 ft. to	37	ft., Fı +	om	ft. tc)	
GRAVEL FACK INTERVALS.	From ft. to	· · · · · · · · · · · · · · · · · · ·			_	. .	
6 GROUT MATERIAL: Neat cem		3 Pento	<u>_</u>				
Grout Intervals: Fromft.	777	3 ft.	. 25	ft., From .		. ft. to	
What is the nearest source of possible con	itamination:		10 Live	estock pens	14 At	andoned water well	
1 Septic tank 4 Lateral li	nes 7 Pit privy		11 Fue	el storage	15 Oi	l well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoo			on 12 Fertilizer storage 16 Other (specify below)				
3 Watertight sewer lines 6 Seepage	e pit 9 Feedyard			ecticide storage		• • • • • • • • • • • • • • • • • • • •	
Direction from well? FROM FO A	LITHOLOGIC LOG	FROM	How m	any feet?	PLUGGING IN	ITERVALS	
0 19 C/aw/	Silt.	THOW	10	1			
				Borelule	Mame	d fo 10"	
19 35.5 Jand				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , , ,		
2 2 2 2 1	1.4						
35.5 39 Shale	-wind						
							
		-					
		 					
						· · · • · · · · · · · · · · · · · · · ·	
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: This water well wa	s(1) construc	ted, (2) re	constructed, or (3)	plugged und	er my jurisdiction and was	
completed on (mo/day/year) 7	Z1 <u>-94-</u>	<i></i>	and this red	cord is true to the I		wledge and belief. Kansas	
Water Well Contractor's License No	55 This Water We	II Record was			44	R.T. T. T. O.	
under the business name of	ayre, INC		by (sign		N K.	noung	
INSTRUCTIONS: Use typewriter or ball point pen. of Health and Environment, Bureau of Water, Topo						opies to Kansas Department	