	W	ATER WELL RECORD Form W			
LOCATION OF WAT	TER WELL: Fraction		Section Number	Township Number	Range Number
stance and direction	from nearest town or city stre	eet address of well if located within			195
WATER WELL ON	VNER: Coleman				(()
WATER WELL OW R#, St. Address, Bo	x#: 1014				ure, Division of Water Resourc
y, State, ZIP Code			# ELEVA	Application Num	
TYPE OF BLANK O	Depth(s) Gr WELL'S ST.  Est. Yield . Bore Hole [ WELL WAT  1 Dome 2 Irriga Was a chem mitted  CASING USED: 3 RMP (SR) 4 ABS	sestic 3 Feedlot 6 Oil fie tion 4 Industrial 7 Lawn hical/bacteriological sample submittee  5 Wrought iron 8 0 6 Asbestos-Cement 9 0 7 Fiberglass in., weight 6 9 5 Fiberglass	ft. below land sur ft. a	face measured on mo/d fter hou fter hou and  8 Air conditioning ewatering 10 Monitoring well es No	ay/yr rs pumping
2 Brass	4 Galvanized steel	6 Concrete tile		12 None use	d (open hole)
REEN OR PERFO	RATION OPENINGS ARE:	5 Gauzed wrap	ped	8 Saw cut	11 None (open hole)
1 Continuous slo	ot (3 Mill slot	6 Wire wrapped		9 Drilled holes	
2 Louvered shut	ter 4 Key punched	7 Torch cut		10 046 /:(-)	
	ED INTERVALS: From  From  CK INTERVALS: From	ft. to	/ft., Fror	n	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: Froi at is the nearest so	From  CK INTERVALS: From  From  INeat cement  m	15 ft. to 2.7 ft. to 2.7 ft. to 2.7 ft. to 3.2 Cement grout 13.3	## A Second Control of the Internal Control of the Int	n n n Other  tt., From ock pens storage	ft. to
GRAVEL PA GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines	From  CK INTERVALS: From  From  Neat cement  M  Interval contamination  4 Lateral lines	1.5	## A Second Control of the Internal Control of the Int	n n n Other tt., From storage	ft. to
GRAVEL PA GROUT MATERIAL ut Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to
GRAVEL PA GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA  GROUT MATERIAL at Intervals: From it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cotion from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA  GROUT MATERIAL at Intervals: From it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew cotion from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to
GRAVEL PA GROUT MATERIAL at Intervals: Front is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to
GRAVEL PA GROUT MATERIAL at Intervals: Front is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to
GRAVEL PA GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well?	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew election from well? ROM TO	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew election from well? ROM TO	From  CK INTERVALS: From  From  Neat cement  M ft. to  Durce of possible contaminatio  4 Lateral lines  5 Cess pool  ver lines 6 Seepage pit	1.5 ft. to	Bentonite  10 Livest 11 Fuel s 12 Fertili 13 Insect	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA  GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewell ection from well? ROM TO 2 7  CONTRACTOR'S CON	From  CK INTERVALS: From  From  INeat cement  In to  Durce of possible contamination 4 Lateral lines 5 Cess pool  Wer lines 6 Seepage pit  Clay  Saud  OR LANDOWNER'S CERTIFIC	ft. to  ft. to  ft. to  2.7  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lagoon  9 Feedyard  GIC LOG  FROM  GIC LOG  FROM  FR	tt., Fror tt., Fror ft., Fror ft., Fror ft., Fror ft., Fror ft. to.  10 Livest 11 Fuel to the mark 12 Fertili 13 Insect How mark DM TO	n	ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  NG INTERVALS
GRAVEL PA  GROUT MATERIAL  out Intervals: From     at is the nearest so     1 Septic tank     2 Sewer lines     3 Watertight sewer     ection from well?     A	From  CK INTERVALS: From  From  INeat cement  The course of possible contamination  4 Lateral lines  5 Cess pool  From  A Lateral lines  THOLO  Sound  OR LANDOWNER'S CERTIFIC	ft. to ft	tt., Fror tt., Fror ft., F	n	ft. to ft. to ft. to ft. to ft. to ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
GRAVEL PA GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew pection from well? ROM TO 2 7	From  CK INTERVALS: From  From  I Neat cement  In to  Ource of possible contamination 4 Lateral lines 5 Cess pool  Ver lines 6 Seepage pit  OR LANDOWNER'S CERTIFIC  St. License No	ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage lagoon 9 Feedyard  GIC LOG  GIC LOG  FROM  CATION: This water well was (1) or  From  CATION: This water well Reco	tt., Fror tt., Fror ft., F	n	ft. to 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  NG INTERVALS