					Water W	/ell Record F	om WWC-5	KSA 82a-1212						
1 LOCATION OF WATER WELL: FRACTION NE			E SWS	E NW		Section Number	Town	ship Number		Range Number				
711	Sedgy			SÆ 1/4		1/4 MW	1/4	7	Т	26	S	R	1E	E/W
		frem nearest town or cit			•									
	TERWELL	vanston			Kansas	<u> </u>								
LJ	ST. ADRESS,	71111		R, Tin	n					Board of	f Agriculture, Dr	vivsion of W	ater Reso	urce
	, STATE, ZIP			Kansa	as	•								
		OCATION WITH			MPLETED V	VELL	28	ft. E	LEVATION:					****
AN "X	" IN SECTIO	N BOX: N	Deptl	h(s) groundw	vater Encoun	tered	1	ft.	2		ft.	3		ft.
1 1			WELL'S	S STATIC W	VATER LEVI	EL 10	FT	BELOW LAND	BURFACE MEA	SURED OF	N mo/day/yr	08/0	01/1	994
	NW	NE		Pump tes	st data:	Well water	er was	ft.	after		hours pump	oing		gpm
<u>و</u> ا		V	Est. Yle	ld	gpm:	Well wat	er was	ft.	after		hours pump	oing		gpm
M M		^ _ ⊢ E		le Diameter	16	in. to	28	ft.	and		in.	to		ft.
					BE USED AS		ıblic wate		8 Air cond	_		jection w		
lι	sw		_	omestic rigation	3 Feediot 4 Industri:	_		ter supply garden only	9 Dewateri	·	120	ther (Spe	city bei	ow)
11				•		,	_	•	10 Monitor	•	. 16	. /d/		
'		S	submit		eriologicai sa	mpie suom	itted to De	epartment? Yes W	ı /ater Well Di	_	; If yes, mo? Yes	o/day/yr s Y	sampie v No	was
5 TY	PE OF CA	SING USED:		5 Wrough	nt iron	8	8 Concrete tile CASING JOINT							
1 Steel 3 RMP (SR)					6 Asbestos		_	9 Other (Specify below)			Welded			
2 PVC	C	4 ABS			7 Flbergla	ISS	S	DR-26	,		TI	readed		
Blank ca	 sing Diam	eter 5	in. t	o 24	ft.,	Dia	in.	to	ft., I	Dia	in.	to	1	t .
			.2	in.,	we	ight 2. 3	5	lbs. / ft.	Wall thicks				.214	L
		N OR PERFORA	TION MA	ATERIAL:	5 Fiberglas			PVC			bestos-ceme			
1 Stee	_	3 Stainless Steel		6 Concrete						11 other (specify)				
		4 Galvanized stee								2 None used (open hole)				
ì	N OK PEI nous slot	RFORATION OPE 3 Mill sl	RE:	5 Gauzed wrappe 6 Wire wrapped			9 Drilled hol			11 None (open hole)				
1	red shutte						• •				4.1			
1		RATION INTERV		A 0.4		7 Torch cu				er (sp e ci	• -			ا ہ
SCICEE	N-I ERFO	RATIONINIERV	ALS:	from 24	ŀ	ft. to	28	ft., Fro			ft. to			ft.
GRAVEL PACK INTERVALS: from 24						ft. to		ft., From			ft. to			ft.
GRAVEL FACE INTERVALS: From 24					.	ft. to 28 ft. to			ft., From ft., From			ft. to ft. ft. to ft.		
6 GRO	UT MATI	ERIAL: 1 Neat	cement		Cement grout		3 Bei	ntonite	4 Other		IL W			
	itervals:		ft. to	_	ft. Fro	•	ft.	to		From		ft. to		ft.
What is the nearest source of possible contamination:				iu i oni			10 Livestock pens			14 Abandon water well				
1 Septic tank 4 Lateral lines				7 Pit	privy		11 Fuel storage			15 Oil well/Gas well				
2 Sewer lines 5 Cess pool					8 Sewa	age lagoon		12 Fertilizer storage 13 Insecticide storage			16 Other (specify below)			
ı	rtight sewe	•	age pit		9 Feed	lyard		13 Insec						
Direction from well? North FROM TO LITHOLOGIC LOG								1 = 1	? 75					
O	2	topsoil	LITHOL	OGIC LOG		- +	FROM	TO		PLUGG	ING INTER	VALS		
2	5	sandy cl	av			-		1						
5	28	fine to		um san	d			1				-		
		F 7047 17 - 411 1				$-\bot$								
						-+		1						
								1						
			~											
			,					1 1						
												•		
7 CON	TRACTO	R'S OR LANDOWNER	S'S CEDTIE	ICATION: Th	is water well	was (1) o	onetruct	ed (2) reconst	ructed or /	3) plugg	ed under m	v juriedi	ction a	nd
I CON	mpleted	on (mo/day/year)	ERIII	08/01/	1994	and	this rec	ord is true to	the best of r	ny know	dedge and t	, jansuk Selief. K	ansas '	Water
Well C	ontractor'	's License No	236		This Water	Well Reco	rd was c	ompleted on (mo/day/yr)		08/03	/94		
Under	the busin	ess name ofH.a	krpW	ell.&	Pump S	ervic	e,Ix	ໄຕ by (sig	nature)					İ
										χo	ine Fr	reder	ick	