


1 LOCATION OF WATER WELL: County: SEDGWICK		Fraction: NW 1/4 SW 1/4 SW 1/4	Section Number: 16	Township Number: T 26 S	Range Number: R 1 E
Distance and direction from nearest town or city street address of well if located within city? South of RR Tracks MW-1					
2 WATER WELL OWNER: RR#, St. Address, Box # : Coastal REFINERY 1100 E 21st City, State, ZIP Code : Wichita KS			Board of Agriculture, Division of Water Resources Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">  </div>		4 DEPTH OF COMPLETED WELL: 25 ft. ELEVATION: Depth(s) Groundwater Encountered 16 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL . . . ft. below land surface measured on mo/day/yr Pump test data: Well water was . . . ft. after . . . hours pumping . . . gpm Est. Yield . . . gpm; Well water was 29.5 ft. after . . . hours pumping . . . gpm Bore Hole Diameter . . . in. to 29.5 ft. and . . . in. to . . . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes . . . No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes . . . No X			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . . . Clamped . . . 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . . . X Blank casing diameter . . . in. to 15 ft. Dia . . . in. to . . . ft. Dia . . . in. to . . . ft. Casing height above land surface . . . in. weight . . . lbs./ft. Wall thickness or gauge No. . . TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) . . . 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) . . . SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 ft. From . . . ft. to . . . ft. From . . . ft. to . . . ft. From . . . ft. to . . . ft. GRAVEL PACK INTERVALS: From 13 ft. to 25 ft. From . . . ft. to . . . ft. From . . . ft. to . . . ft. From . . . ft. to . . . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other . . . Grout Intervals: From 0 ft. to 2 ft. From 2 ft. to 13 ft. From . . . ft. to . . . ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below), crude pipeline 13 Insecticide storage Direction from well? NE How many feet? 100					
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS			
0 17 Sandy clay					
17 25 Sand					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-15-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 581 This Water Well Record was completed on (mo/day/yr) 8-15-94 under the business name of Layne, Inc. by (signature) Steven R. [Signature]					