LOC	ATION OF WA	ATER WELL:	FRACTION	Water Well Reco	rd Form WWC-	Section Number	Township Number	Range Number	
Sedgwick		NW 1/4	NW 1/4	NE 1/4	34	0.0	1 12		
Distance and direction frem nearest town or city street address of					NE 1/4	34	1 T 26 s	R IE EAW	
2533 E. 36th N. Circle Wichita, Kansas  WATER WELL OWNER: BAREFOOT Lawn Service									
							D 14. 1 1. D	and a service of	
	RRM, ST. ADRESS, BOX#: 2533 E. 36th N. Circle						Board of Agriculture, Divivsion of Water Resource		
CITY, STATE, ZIP CODE: Wichita, Kansa						Application Number:			
	ATE WELL'S I X" IN SECTIO	N DOV.		MPLETED WELL	97	ft. ELEV	VATION:		
AN	A" IN SECTIO	N BOX:	Depth(s) groundv	vater Encountered	1	ft.	2 ft.	3 ft.	
ΙĪ		WE	LL'S STATIC W	VATER LEVEL 2	O F1	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	09/22/1994	
	NW	NE	Pump tes	t data: Well	water was	ft. a	fter hours pum	ping gpm	
		1 : 1 :	Yield	gpm: Well	water was	ft. a	ifter hours pum	ping gpm	
1 Mile /	v	E Bore	e Hole Diameter	12 in.	to 97	ft.	and in.	to ft.	
≦ '	~		LL WATER TO		5 Public water	= -		njection well	
	1 Domestic 3 Feedlot 6 Oil fiel					water supply 9 Dewatering 12 Other (Specify below)			
1					) Monitoring well	,			
			_			<u> </u>	-	o/day/yr sample was	
<b>'</b>	<u> </u>	e i		eriological sample s	ubmitted to D	-		• • •	
submitted water well Dismiected? Yes X No									
igspace				5 Wrought iron		Concrete tile		lued X Clamped	
1 Ste	æi	3 RMP (SR)		6 Asbestos-Cem	ent 9	9 Other (Specify below) Welded			
2 PV	'C	4 ABS		7 Fiberglass	S	DR-26	Т	'hreaded	
Blank	 casing Diam	eter 5 in.	to 35	ft., Dia	in.	to	ft., Dia in.	to ft.	
•	•	ve land surface 12	in.,	•	2.35		Vall thickness or gauge No.	.214	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214     TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 St	eel	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify	r)	
2 Br	922	4 Galvanized steel		6 Concrete tile		) ABS	`•	•	
12 Note used (open loss)									
	EN OR FEI linous slot		G ARE:		zed wrapped		9 Drilled hoies	11 None (open note)	
		3 Mill slot	_	6 WIF	e wrapped				
2 Lour	ered shutte	r 4 Key punche	ed	7 Toro	ch cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 35 ft. to 97 ft., From ft. to ft.									
from				ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24			t. ft. to 97		ft., From	ft. to	ft.		
from				ft. to		ft., From	ft. to	ñ.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:				in From		10 Llvestoc	1	bandon water well	
1 Septic tank 4 Lateral li				7 Pit privy		11 Fuel sto			
				8 Sewage lagoon		12 Fertilize	13(	15 Oil well/Gas well 16 Other (specify below)	
	o ctas poor					13 Insectic		Juier (specify below)	
5 waterught sewer mies 6 Seepage pit 7 recuyaru									
FROM	on from we		<b>arent</b> HOLOGIC LOG		1	+ == -	How many feet?		
			HOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS	
0	3	topsoil		<del></del>			· · · · · · · · · · · · · · · · · · ·		
3	25	clay							
25	35	sandy clay		e sand					
35	97	grey shale							
							**		
			. 1925			1 1			
<u> </u>									
·	_					<del> </del>			
	<del> </del>								
ļ									
L									
7 CONTRACTORIS ON AND ON AND ON THE WATER Well was (4) constructed (2) reconstructed on (2) religion and under my jurisdiction and									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
Well Contractor's License No									
fane Frederick									
,							vane I	ามเมมานตร	