1 LOCA	TION OF W	ATER WELL:	FRACTION	Wa	ter Well Record	Form WWC-	Section Number	Township Number	Range Number
Sedgwick			NE 1/	4 SE	1/4 NV	<b>V</b> 1/4	21	26	10
Distance						1/7		T 26 s	R IE E/W
Distance and direction frem nearest town or city street address of well if located within city?  5026 N. Primrose Wichita, Kansas									
					ansas			***************************************	
ш	TER WELL		RONG, A						
RR#, ST. ADRESS, BOX#: 5026 N. Primrose  Board of Agriculture, Divivsion of Water Resource									
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:									
		LOCATION WITH 4	DEPTH OF C	OMPLETE	D WELL	62	ft. EL	EVATION:	
AN "X	" IN SECTIO	N BOX:	Depth(s) grour	idwater Enco	ountered	1	ft.	2 ft.	3 ft.
1 1		Tim lw	ELL'S STATIC	WATER L	EVEL 20	FT	. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	09/22/1994
1	1			test data:	Well wa	ter wee	ft.	after hours pum	
'	<b>NW</b>	NE    <sub>E</sub>	-						. Br
<u> </u>		/ 1   T	t. Yield	gpm:		iter was	ft.	after hours pum	
ii w	<del>                                     </del>	!  ~	re Hole Diamet		in. to		ft.	and in.	to ft.
"			ELL WATER T	O BE USED	AS: 5	Public wate	r supply	8 Air conditioning 11 I	njection well
1 ,		sie	1 Domestic	3 Feed	lot 6	Oil field wa	iter supply	9 Dewatering 12 C	Other (Specify below)
11			2 Irrigation	4 Indu	strial 7	Lawn and g	arden only	10 Monitoring well	
		w	as a chemical/b	acteriologica	I sample subi	nitted to De	epartment? Yes	No ¥ : If ves. m	no/day/yr sample was
l		2 1	ubmitted				-		• • •
THIN OF CASH AND									
5 Wrought from 6 Concrete tile CABANG SOLVERS. Gided & Champed									
y Other (Speciny Below)									
2 PVC 4 ABS 7 Fiberglass SDR-26 Threaded									
Blank ca	sing Dian	_	. to 35	ft. ,	Dia	in.		ft., Dia in.	to ft.
		ve land surface 12		n.,	weight 2.	35	lbs. / ft.	Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 I owneyed shorten									
/ Toren cut									
SCREEN-PERFORATION INTERVALS: from 35 ft. to 62 ft., From ft. to ft.									
from					ft. to		ft., Fron	n ft. to	ft.
GRAVEL PACK INTERVALS: from 24					ft. to 62		ft., Fron	n ft. to	ft.
from ft. to ft., From ft. to									ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:  10 Livestock pens 14 Abandon water well									
1 Septic tank 4 Lateral li						11 Fuel st			
				8 Sewage lagoon				13(	Oil well/Gas well
		5 Cess poo		• •			13 Innecticide eteman		Other (specify below)
o Seepage pit 9 recuyard None Apparent									
	n from we							How many feet?	
FROM			THOLOGIC LO	XG		FROM	ТО	PLUGGING INTE	RVALS
<u> </u>	3	topsoil						Water and the same of the same	
3	21	clay							
21	27	fine sand							
27	29	clay							
29	38	fine sand							
38	62	grey shale	8						
								1 144 41-11-1	
			***************************************				1		
							1		
7 CONTRACTOR'S OR LANDOWNED'S CERTIFICATION. This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and									
1   Contract on box Exhibiting the first water well was (1) constructed, or (2) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Under the business name of Harp Well & Pump Service. Inc by (signature)									
Jane Frederick									