					Water Well Rec	ord Form WWC-5			*** <b></b>
1 LOCA		ATER WELL:		ACTION			Section Number	Township Number	Range Number
<u> </u>	Sedg	<del></del>		IW 1/4	NW 1/4	SE 1/4	18	T 26 s	R 1E EW
1		frem nearest town or c	ity street addr	ess of well if loca	ted within city?				
57	742 D€	elaware	Wi	chita,	Kansas				
ш	TER WELL			ON, Je	ff				
	ST. ADRESS	J/=	2 Del					Board of Agriculture,	Divivsion of Water Resource
CITY	, STATE, ZII	CODE: WIC	<u>hita,</u>	Kansa	S			Application Numb	er:
	TE WELL'S I	OCATION WITH			IPLETED WELI			EVATION:	
1	INSECTIO	N N	Depth	(s) groundwa	ater Encountered	1	ft.	2 ft.	3 ft.
1 [			WELL'S		ATER LEVEL	15 FT.	BELOW LAND SI	URFACE MEASURED ON mo/day/yr	09/12/1994
	NW	NE	1	Pump test	data: Wel	l water was	ft.	after hours pur	mping gpm
<u></u>			Est. Yield	d	gpm: Wel	ll water was	ft.	after hours pur	mping gpm
M M M	/	E	Bore Hol	e Diameter	12 in.	to 40	ft.	and in.	to ft.
-			WELL W	ATER TO E	BE USED AS:	5 Public water	r supply		Injection well
L	SW		1 Do	mestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)
			2 Irr	gation	4 Industrial	7 Lawn and g	arden only	10 Monltoring well	
+			Was a ch	emical/bacte	riological sample	submitted to De	partment? Yes	No X ; If yes,	mo/day/yr sample was
<u> </u>		S	submitt	ed			W	ater Well Disinfected? Yes	X No
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Stee	el	3 RMP (SR)			6 Asbestos-Cen	nent 9	Other (Specify	below)	Welded
2 PV	C	4 ABS			7 Fiberglass	S	DR-26		Threaded
	asing Diam	_		30	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 12 in., weight 2.35 lbs. / ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Ste		3 Stainless Steel			5 Fiberglass		RMP (SR)	11 other (specif	<b>y</b> )
2 Bra	58	4 Galvanized ste	el		6 Concrete tile	9	ABS	12 None used (d	pen hole)
SCREE	EN OR PEI	RFORATION OP	ENING AF	RE:	5 Ga	uzed wrapped		8 Saw cut	11 None (open hole)
1 Conti	nous slot	3 Mill s	lot		6 Wi	re wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft., From ft. to ft.									
				from		ft. to	ft., Froi	_	ft.
GRAVEL PACK INTERVALS: from 24					,-		ft., Fro	<del></del>	
				from		ft. to	ft., Fro	m ft. to	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonlte 4 Other									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to								ft. to ft.	
What is the nearest source of possible contamination:						10 Livest		Abandon water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel s	torage 15	Oil well/Gas well	
2 Sewer lines 5 Cess pool					8 Sewage lagoon 12 Fertilizer			Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? East How many feet? 75									
FROM			LITHOLO	OGIC LOG		FROM	ТО	PLUGGING INTE	RVALS
0	2	topsoil						******	
2	15	clay							
15	40	medium t	to coa	arse sa	and				
							1 1		
<b> </b>							<u> </u>	1911/19-201	
<b> </b>							ļ		
<u> </u>	ļ						1		
					·				
<u> </u>						_			
<u> </u>			na				ļ		
<b></b>									
							1		
							ļļ.		
							<u> </u>		
7 CON	NTRACTO	R'S OR LANDOWNE	R'S CERTIFI	CATION: This	s water well was	(1) constructe	ed. (2) reconstr	ructed, or (3) plugged under	my jurisdiction and
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
Well Contractor's License No236 This Water Well Record was completed on (mo/day/yr)									
Under the business name of HarpWell&PumpServiceInc by (signature)									
								Jane 3	Frederick