				Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOC.	ATION OF WA		FRACTION			Section Number	Township Number	Range Number
	Sedgr		SW 1/4	SW 1/4 S	W 1/4	7	T 26 s	R 1E E/W
Distanc	e and direction	frem nearest town or cit	ty street address of well if loca	ited within city?				
2	400 W	. Rio Vis	ta Wich	ita, Kansa	as			
2 W.	ATER WELL	OWNER: LEE	WOOD HOMES					
RR#, ST. ADRESS, BOX#: 6130 Legion Board of Agriculture, Divivsion of Water Resource								
CIT	Y, STATE, ZII	CODE: Wic	hita, Kansa	S			Application Numb	er:
		LOCATION WITH	4 DEPTH OF COM	IPLETED WELL	43	ft. ELEV	ATION:	
AN "2	" IN SECTIO	N BOX:	Depth(s) groundwa	ater Encountered	1	ft.	2 ft.	3 ft.
			WELL'S STATIC W	ATER LEVEL 17	FT.	BELOW LAND SURF	FACE MEASURED ON mo/day/yr	11/28/1994
	NW	NE	Pump test	data: Well w	ater was	ft. af	iter hours pur	nping gpm
٥			Est. Yield	gpm: Well w	ater was	ft. a	fter hours pur	nping gpm
1 Wile	v 	E	Bore Hole Diameter	12 in.	to 43	ft.	and in.	to ft.
"			WELL WATER TO I		Public water		J	Injection well
1	sw	sŒ	1 Domestic		Oil field wat		•	Other (Specify below)
	\downarrow		2 Irrigation		Lawn and g	-	Monitoring well	
+		S	Was a chemical/bacte	riological sampie sub	mitted to De			no/day/yr sample was
5 TY	DE OF CA		submitted				r Well Disinfected? Yes	X No
5 Wrought iron 8 Concrete tile CASING JOINTS: Glaed X Clamped								
2 PV		4 ABS		7 Fiberglass	-	Other (Specify bel	•	Welded Threaded
	C asing Diam		in. to 34	J		DR-26		
1		_		ft., Dia welght 2 .	in. 2 E		ft., Dia in.	to ft.
1	-	_	L 2 in. , TION MATERIAL:	weight 2		PVC	/all thickness or gauge No. 10 Asbestos-cen	. 214 nent
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								pen hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 34 ft. to 43 ft., From ft. to ft.								
;			from	ft.		ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: from 24					ft. to 43 ft., From		ft. to	
			from	ft.		ft., From	ft. to	ft.
6 GR	OUT MAT	ERIAL: 1 Neat	cement 2 C	ement grout	3 Ben	tonlte	4 Other	
Grout I	ntervals:	From 4	ft. to 24	ft. From	ft. 1	0	ft. From	ft. to ft.
What is the nearest source of possible contamination:					10 Livestock pens			Abandon water well
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel stor	rage 15	Oil well/Gas well	
2 Sewer lines 5 Cess pool							tilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
Direction from well? North How many feet? 80								
FROM			LITHOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS
0 3	3 11	topsoil			 			
3 11	28	clay fine san				+ +		
28	33	medium s				1		
33	34	clay	anu			+ +		
34	43	medium s	and		1			
	1	mearam s	and					
ļ			We saled a We		1			
				V9 WW4 - 0, 4 - 5	1		 	
					1			
				120	1			
					,			
	1							
· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·				And the property of the party of the second of the party of the second o	
 						1	and the state of t	
7 100	VTD ACTO	Dig on the sure	Dis CEDITIES C. T.C. TL:	e water well was (4)	\ oonetrist-	d (2) ross======	eted, or (3) plugged under	my juriediation and
						u izire::OHSIIDC	ieu. Vi isi piudded under l	ily juliautuutii aliu
Wasc	ompleted	on (mo/dav/vear)	11/28/	1994	and this rec	ord is true to the	best of my knowledge and	belief. Kansas Water
was c	o <mark>mpleted</mark> Contractor	on (mo/day/year) 's License No	11/28/ 236	1,9,9,4	and this reco	ord is true to the mpleted on (mo/	best of my knowledge and day/yr)	l belief. Kansas Water
was c	o <mark>mpleted</mark> Contractor	on (mo/day/year) 's License No	<u>11/28/</u>	1,9,9,4	and this reco	ord is true to the mpleted on (mo/	best of my knowledge and day/yr)12	l belief. Kansas Water