COLTION OF WATER WELL.	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212	T	W Manakan
1 LOCATION OF WATER WELL:		0		Section Number	Township Number	Range Number
Sedgwick	NE 1/4	SE 1/4 SI	E 1/4	30	T 26 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?						
3946 N. Garland	Wichita,	Kansas				
	Roger	-			Roard of Agriculture	Divivsion of Water Resource
	N. Garlan				-	
	DEPTH OF COM		26	- 212	Application Num	ber:
DOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF C OM Depth(s) groundwa		26	ft. ELE ft.	CVATION: 2 ft.	3 ft.
	. (/6		_		Z II. RFACE MEASURED ON mo/day/yr	12/29/1994
	VELL'S STATIC W. Pump test		ater was		after hours pu	
NE	st. Yield		ater was		atter hours pu	
	ore Hole Diameter	PI	to	ft.	and in	
E W	VELL WATER TO	S E USED AS: 5	Public water			Injection well
	1 Domestic		Oil field wa		-	Other (Specify below)
	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was						
S submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS:	Glued Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Cement	t 9	Other (Specify b	elow)	Welded
2 PVC 4 ABS		7 Fiberglass				Threaded
Blank casing Diameter 5 in		ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 36	· ·	weight			Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:	- Ett -malana		PVC	10 Asbestos-ce	
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (spec	•
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (•
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire w	6 Wire wrapped 9 Drilled		9 Drilled holes	
2 Louvered shutter 4 Key punc	ched	7 Torch	cut		10 Other (specify)	
SCREEN-PERFORATION INTERVAL	LS: from	ft. t	to	ft., From	ft. to	D ft.
	from	ft. 1	to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: from		ft. to ft., From			o ft.	
1 N	from	n.		ft., Fron		<u>f</u> f
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 1 ft. to 6		ft. From ft. to ft. Fr 10 Livestock pens		ft. From	ft. to ft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines		7 Pit privy				
The state of the s		8 Sewage lagoo	• •		storage 15 Oil well/Gas well illizer storage 16 Other (specify below)	
l cess boot		9 Feedyard 13 Insecticide storage		alda ataman		
None Apparent						
		FROM	то	How many feet? PLUGGING INT	ERVALS	
	THOLOGIC LOG		0		surface materi	
			1		cement grout	
			6		bentonite hole	pluq
			14		chlorinated sa	
		77 2 54 44 4 5	<u> </u>			
		-				
			<u> </u>			
				_		
			ļ			
			<u> </u>			
			<u> </u>			
<u> </u>						
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: Thi	s water well was (1)) construct	ed, (2) reconstru	ucted, or (3) plugged under	my jurisdiction and
was completed on (mo/day/year)	12/29/	1994 a	and this rec	ord is true to th	e best of my knowledge ar	id belief. Kansas Water
Well Contractor's License No	236 ·	This Water Well Red	cord was c	ompleted on (m	o/day/yr)12./	29 <u>/94</u>
Under the business name of	.b werr &	Pump Servi	'C8''''TI	요C by (sign	ature)	Fraderick

Ŧ