1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number	
Sedgwick	SW 1/4	NW 1/4 SI	E 1/4	7	т 26 s	15	
Distance and direction frem nearest town or ci					1 20 8	R IE EAW	
6404 N. Legion	-	•					
	<u>Wichita,</u> KENS, Gary	Ransas					
-  DIO	5 Hill Park	Circle			Board of Agriculture, I	ivivsion of Water Resource	
				Application Number:			
3 LOCATE WELL'S LOCATION WITH	ker, Colora 4 DEPTH OF COL		45		VATION: well pit		
AN "X" IN SECTION BOX:	Depth(s) groundw		1	ft.	2 ft.	3 ft.	
	WELL'S STATIC W		FT.	BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	11/21/1994	
NWNE	Pump test		iter was	ft.	after hours pun		
	Est. Yield	gpm: Well w	ater was	ft.	after hours pun		
E W	Bore Hole Diameter	e in t	0	ft.	and in.	to ft.	
= "	WELL WATER	BE USED AS: 5	Public water	supply	8 Air conditioning 11 l	njection well	
	1 Domestic	3 Feedlot 6	Oil field wat	er sup <b>p</b> ly	9 Dewatering 12 0	Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
₩as a chemical/bacteriological sample submitted to Department? Yes X No ; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes No							
5 TYPE OF CASING USED:	5 Wrought iron 8 Concrete tile			CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (Spe		• ,			
2 PVC 4 ABS		7 Fiberglass			ា	Threaded	
Blank casing Diameter 5	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 4 feet in.,					Wall thickness or gauge No. 10 Asbestos-cement		
TYPE OF SCREEN OR PERFORATION MATERIAL:				PVC DMD (SD)		-	
1 Steel 3 Stainless Steel	_	6 Concrete tile		RMP (SR)	11 other (specify	-	
2 Brass 4 Galvanized ste		6 Concrete tile	9.	ABS	12 None used (o	·	
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped			8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key p	7 Torch	7 Torch cut		10 Other (specify)			
SCREEN-PERFORATION INTERV	VALS: from	ft. t	0	ft., From	ft. to	ft.	
from		ft. to		ft., From		ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., Fron		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From 3	ft. to 5	ft. From	ft. t		ft. From	ft. to ft.	
What is the nearest source of possibl	_	ic Prom	16. 6	10 Livesto		Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel ste	orage 15	Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon			zer storage 16	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? East					How many feet? 100		
			FROM TO		PLUGGING INTERVALS		
			3		cement grout		
			5		bentonite hole		
			18	45	chlorinated sam	d and gravel	
l			<b></b>	<b></b>		<del></del>	
				<b> </b>			
				<u> </u>			
				<u> </u>			
7 COMPLETEDES							
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: Th	is water well was (1)	constructe	d, (2) reconstru	ucted, or (3) plugged under n	ny jurisdiction and	
was completed on (mo/day/year	) <b>11</b> 7.217	1 <u>994</u> a	nd this reco	ord is true to th	e best of my knowledge and	belief. Kansas Water	
was completed on (mo/day/year Well Contractor's License No	)11/21/. 236	1994 a This Water Well Red	nd this reco	ord is true to th mpleted on (m	e best of my knowledge and o/day/yr)12./.Ω ature)	belief. Kansas Water 8/94	
was completed on (mo/day/year	)11/21/. 236	1994 a This Water Well Red	nd this reco	ord is true to th mpleted on (m	e best of my knowledge and o/day/yr)12./.Ω ature)	belief. Kansas Water	