1 LOC	ATION OF W	ATER WELL:	FRACTION		aler Well Recor	1 Form WWC-	Section Number	Township Number	Range Number
$\vdash$	Sedgr	ai ak	NW	1/4 NW	1/4	S <b>W</b> 1/4	20	1	1 =
Dietan						3W 1/4		T 26 s	R IE E/W
Distance and direction from nearest town or city street address of well if located within city?									
932 W. 49th St. North Wichita, Kansas									
2 W	ATER WELL	OWNER: MENGES	, Mike	8					
RR	, ST. ADRESS	BOX#: 932 W.	49th	St. No	orth			Board of Agriculture, D	Divivsion of Water Resource
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:									
3 LOC	ATE WELL'S			COMPLET	ED WELL	40	ft. ELE	VATION:	
	X" IN SECTIO	N ROY:		undwater En		1	n. EEE	2 ft.	3 ft.
l t	<u> </u>	<del>- ^`</del>	•			=		FACE MEASURED ON mo/day/yr	
			_	IC WATER I	<b>-</b> -	•	. BELOW LAND SUR	••	03/27/1995
'	NW	NE	run	ip test data:		water was	ft. a	ifter hours pun	i <b>ping g</b> pm
و ا		Est.	Yield	gpm:	Well	water was	ft. s	after hours pum	nping gpm
₹ ,	w k/	E Bore	e Hole Diam	eter 12	in.	to 40	ſt.	and in.	to ft.
=	<b>N</b>	WEI	LL WATER	TO BE USE	D AS:	5 Public wate	er supply §	8 Air conditioning 11 I	injection well
١.			1 Domestic	3 Fee	dlot	6 Oil field w	ater supply	9 Dewatering 12 (	Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well								
1 1									
S									
THE OF CASING VIOLE									
I Ste	_				rought iron		Concrete tile		Shued X Clamped
		3 RMP (SR)			estos-Ceme		Other (Specify be	•	Velded
2 PV	_	4 ABS		7 Fib	erglass	S	DR-26	7	Threaded
	casing Dian	_	to 30	ft.,	Dia	in	. to	ft., Dia in.	to ft.
		ve land surface 12		in.,	weight 2	.35	lbs. / ft. V	Wall thickness or gauge No.	.214
TYPE	OF SCREE	EN OR PERFORATION	N MATERL		-		7 PVC	10 Asbestos-cem	
1 St	eel	3 Stainless Steel		5 Fibe	rglass	:	RMP (SR)	11 other (specify	<i>r</i> )
2 Br	238	4 Galvanized steel		6 Con	crete tile		9 ABS	12 None used (o	pen hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
21 1									
SCHEEN BEDEON ATION INTERPRIVATE									
SCRE	en-rerro	RATION INTERVALS			n.	to 40	ft., From	ft. to	ft.
1			from			. to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS: from 24					ft. to 40		ft., From		ft.
<del>                                     </del>		A N	from			. to	ft., From		ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible con			tamination:				10 Livestoc	ck pens 14 A	Abandon water well
1 Septic tank 4 Lateral 1			es	7 Pit privy			11 Fuel sto	rage 15 (	Oil well/Gas well
2 Sewer lines 5 Cess po				8	8 Sewage lagoon		12 Fertiliz	er storage 16 (	Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Directi	ion from we				-			How many feet? 100	
FROM			IOLOGIC I	LOG		FROM	ТО	PLUGGING INTE	RVALS
Q	2	topsoil							
2	15	fine sand							
15	25	medium coa	ree es	had			<u> </u>		
25	40	medium san		****					
<u> </u>	<del>                                     </del>	Mediam Son	<u>u</u>			-			
<b>—</b> —		·				<del></del>	+		
	1		<del></del>						
<u> </u>	+				<del> </del>				
						<b>—</b>			
	1						<del>                                     </del>		
7				_					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No236									
Under the business name of Harp Well & Pump Service. Inc. by (signature)  Jane Frederick									
								Jane F	rederick
ı								U	