1 LOC	ATION OF W	ATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
Sedgwick			SW 1/4	NW 1/4 S	W 1/4	28	T 26 s	10
Distance and direction from nearest town or city street address of well if located within city?								
4004 N. Old Lawerance Road Wichita, Kansas								
	ATER WELL			NIC.	urta, i	Nausas		
ĽI '	ST. ADRESS	DOVE D		werance Po	hec		Board of Agriculture, I	tivivsion of Water Resource
RRM, ST. ADRESS, BOX#: 4004 N. Old Lawerance Road CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:								
	· · · · · · · · · · · · · · · · · · ·			APLETED WELL	45	ft. ELE	VATION:	•
	K" IN SECTIO	N POV.			1	it. Elle	2 ft.	3 n.
								03/31/1995
		WE	LL'S STATIC W Pump tes		vater was		_	
'	NW	NE	Yield		vater was			· · · · · · · · · · · · · · · · · · ·
1 Mile			e Hole Diameter			n. : ft.	after hours pun and in	iping gpm to ft.
<u>₹</u> v	v 📑		LL WATER TO		to 45 Public water	=		njection well
		W.E.	1 Domestic		6 Oil field wat		•	Other (Specify below)
	sw	s#E	2 Irrigation		Lawn and g	•	0 Monitoring well	suite (speed) selett)
								o/dov/vn comple wee
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No								
TYPE OF CASING LISED.								
1 Steel 3 RMP (SR)					Concrete the Other (Specify be	•	Welded & Clamped Welded	
2 PV		4 ABS		7 Fiberglass	•	DR-26	•	hreaded
1	asing Diam		to 39	ft., Dia	in.	DR-20 to	ft., Dia in.	to ft.
1	•	ve land surface 12	w 35 in.	weight 2		**	Wall thickness or gauge No.	.214
		EN OR PERFORATION		weight Z		PVC	10 Asbestos-cem	
1 Sta	eel	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify	<i>'</i>)
2 Bra	RSS	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (o	pen hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1	inous slot	3 Mill slot			wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cnt 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 39 ft. to 45 ft., From ft. to ft.								
i .			from	ft.		ft., From	ft. to	n.
GRAVEL PACK INTERVALS: from 24				n. to 45		ft., From		n.
			from	ft. to		ft., From		n.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:					10 Livestoo	•	bandon water well	
1 Septic tank 4 Lateral lines			es	7 Pit privy		11 Fuel sto	13	Oil well/Gas well
2 Sewer lines 5 Cess pool			l	8 Sewage lagoon		12 Fertiliz		Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent								Apparent
Direction from well? How many feet?								
FROM			HOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS
0	4	topsoil			1	_		
4	20	clay	_					
20	35	coarse san	d		_	1		
35	37	fine sand			 			
37	45	medium coa	rse sand			- 		
	1				1	+		
	 				1	 		
<u> </u>					 			
	†				1			
					1	 		
					1	1		
					1	+		
<u> </u>	1				1	1		
	1					1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was (1) constructed. (2) reconstructed, or (3) ningget under my jurisdiction and								
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Well Contractor's License No236								
Under the business name of Harp Well & Pump Service								
Jane Frederick								
-							Juliu 0	www www