		WATER WE	LL RECORD	Form WWC-5	KSA 82a		<del></del>		
1 LOCATION OF WATE		Fraction			tion Number		Number	_	e Number
County: SEdgw	Yck	SE 45			6	<u>T Z</u>	<u>-6 s</u>	L R	/ <u>(E)</u> W
Distance and direction f					V				
	7060 M	1. CLASENCE	Va/12	1 CENTO	17 KS				
2 WATER WELL OWN	IER: CONOC	O INC		<b>.</b> .	,				
RR#, St. Address, Box	#: 600	North De	aird Ash	Ford			of Agriculture,	Division of V	Vater Resources
City, State, ZIP Code	:	Hous	ton TX	77079	7	Applica	tion Number:		
3 LOCATE WELL'S LO	CATION WITH	DEPTH OF COMPI	ETED WELL	26	ft FLEVA	TION:			
AN "X" IN SECTION	BOX:	pth(s) Groundwater	Encountered	1,18,0	n	)			#
- N		ELL'S STATIC WAT							
	;     \wi						• •		
NW -	- NE		data: Well wa					. –	
		t. Yield							
e w	Bo	re Hole Diameter	1. 1.4in. to	<b>.</b>		and	in	. to	
M I	ı l'wı	ELL WATER TO BE	USED AS:	5 Public water	r supply	8 Air condition	ning 11	Injection we	ell
		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Spec	cify below)
	%	2 Irrigation	4 Industrial	7 Lawn and g	arden only	Monitoring	well		
	.   Wa	as a chemical/bacter	iological sample						
1		tted	,			ter Well Disinfo		<b>∠</b> V	
5 TYPE OF BLANK C			rought iron	8 Concre					amped
1 Steel	3 RMP (SR)		sbestos-Cement		(specify below		-		
	, ,				•	•			
\$4PVC	→ <sup>4</sup> ABS		berglass						
Blank casing diameter	4	to / . <del>/</del>	. π., Dia	in. to		π., Dia		in. to	π.
Casing height above lar			veightム.ベ <i>Д</i> .			ft. Wall thickne	ss or gauge N	0	· · · · · · · · · · · · · · ·
TYPE OF SCREEN OR	PERFORATION M	MATERIAL:		ℋ <sup>₽V</sup>	С	10	Asbestos-ceme	ent	
1 Steel	3 Stainless ste	eel 5 Fi	berglass	8 RM	IP (SR)	11	Other (specify)		
2 Brass	4 Galvanized	steel 6 C	oncrete tile	9 AB	S	12	None used (op	en hole)	
SCREEN OR PERFOR			5 Gau	zed wrapped		8 Saw cut		11 None	(open hole)
1 Continuous slot	<b>√2</b> Mill s	slot	6 Wire	wrapped		9 Drilled hol	es		
2 Louvered shutte	, -	ounched	7 Toro			10 Other (spe	ecify)		<i></i>
SCREEN-PERFORATE		From 2.6	ft. to .	16	ft Fror	m	ft. 1	0	
00,122,11, 2, 11 0, 11, 12		From							
CDAVEL DAC	K INTERVALS:	From. 2.6	ft. to .	14	ft From	m		• · · · · · · · · · · · · · · · · · · ·	#
GILAVEETAG	K INTERIVACO.	From	ft. to						
6 GROUT MATERIAL:	1 Nost som			¥ Bento					<u>ft.</u>
Grout Intervals: From			ment grout						
			π., From		•				
What is the nearest sou	· • ·					tock pens		bandoned v	
1 Septic tank 4 Lateral lines			7 Pit privy		Fuel storage		15 Oil well/Gas well		
2 Sewer lines	ol	8 Sewage lagoon		12 Fertilizer storage		16 C	16 Other (specify below)		
	r lines 6 Seepage	pit pit	9 Feedyard		13 Insec	ticide storage			
Direction from well?	WES+				How mai	ny feet?	201		
FROM TO		LITHOLOGIC LOG		FROM	то		PLUGGING I	NTERVALS	
0 3	TOD Soil								
31 10	Bir flas	tic Clay							
10' 15'	Red Tall	Silty Vla	(1						
15' 20'	Fills to	Malina	Soud						
20' 26'	CORISE SO	111111	600.1						
20 20	~ - (1) E 09	MC WITH	DIAN!						
<del>                                     </del>									
									·····
			.,		ļ <b>-</b>				
			· · · · · · · · · · · · · · · · · · ·						
					L				
<del>                                     </del>									
	B   41 B   614    1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	OFFICION	**************************************			٠ و عدر سفوس	2\ ml==== -1 · ·		
7 CONTRACTOR'S O		CERTIFICATION: 1	nis water well v	/-					
completed on (mo/day/y		. 7. 7					111 10	owledge and	d belief. Kansas
Water Well Contractor's			This Water \	Well Record wa	•		レナフグタ		
under the business nam	ne of Kurtz,	EN VICONMEN	141 SSI	VICE	by (signat	ture)	L.K.J.		
l		DI EASE DRESS EIDMIV	and PRINT clearly P	lease fill in blanks, u	underline or circle	the correct answe	rs. Send top three	copies to Kans	as Department
INSTRUCTIONS: Use typ	ewriter or ball point pen.	eka, Kansas 66620-0001.	and Thirt Cloury.						