		WATE	ER WELL RECORD	Form WWC-5	KSA 82a-		- 	
	F WATER WELL:	Fraction			ion Number	Township Nu	ımber	Range Number
County: しょ	dawick	SE V	4 SW 14 SV	V 1/4	6	т 26	S	R / ŒW
Distance and di	rection from nearest to		address of well if locate				CN	1W# 5
WATER WE	LL OWNER: COLV		141124 CAS					<u> </u>
RR#, St. Addre	LE OWINER. ZOZYZ	CO, TXC	airy Ash For	(لہ		Board of A	oriculture [Division of Water Resources
City, State, ZIP	10,77	7079 Application Number:						
LOCATE WE	LL'S LOCATION WITH	14 DEPTH OF	COMPLETED WELL	26	. ft. ELEVA	TION:		
- AN X IN SI	ECTION BOX:							
ī								4-6-95
	W _ NE	Pur	np test data: Well wate	erwas	ft. ad	ter	hours pur	mping gpm
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Est. Yield	gpm; Well water	er was	ft. at	ter	hours put	mping gpm
<u>•</u> ,, i		Bore Hole Diam	neter. 7.44. in. to	26		and	in.	to
ž W	' '	WELL WATER	TO BE USED AS:	5 Public water	r supply	8 Air conditioning	11	Injection well
ī ,		1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12	Other (Specify below)
	" 3	2 Irrigation		_	•		•	
L X		Was a chemical	/bacteriological sample :	submitted to De	partment? Ye	s NG	; If yes,	mo/day/yr sample was sub
1	<u> </u>	mitted			Wat	ter Well Disinfecte	d? Yes	★ 6
5 TYPE OF BI	LANK CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOI	NTS: Glued	IClamped
1 Steel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other (•	•		ed
X PVC	4 ABS	1/	7 Fiberglass				Threa	nded. 🗙
		in. to!.6	ft., Dia , .	in. to	<i>.</i>	ft., Dia	i	in. to ft.
Casing height a	bove land surface	گ.گ.	in., weight . シc.h z.			t. Wall thickness o	or gauge No	o
TYPE OF SCRI	EEN OR PERFORATION	ON MATERIAL:		≯ PV		10 Asb	estos-ceme	nt
1 Steel	3 Stainles	ss steel	5 Fiberglass		P (SR)	11 Oth	er (specify)	
2 Brass	4 Galvani		6 Concrete tile	9 ABS	3		e used (op-	an hole)
SCREEN OR P	ERFORATION OPENI			ed wrapped		8 Saw cut		11 None (open hole)
1 Continu	- `	Mill slot		wrapped		9 Drilled holes		
2 Louvere		Key punched	7 Torch	cut		10 Other (specify	') <i>.</i>	
SCREEN-PERF	ORATED INTERVALS							o
		From		14	ft., Fror	n	ft. to	o
GRAV	EL PACK INTERVALS							o
T		From					-	
6 GROUT MAT			Cement grout	Benton				
Grout Intervals:			ft., From	₹. 7 ft. 1	•			ft. to
	arest source of possible					ock pens		pandoned water well
1 Septic tank 4 Lateral lines					-	el storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool						zer storage	16 O	ther (specify below)
	ght sewer lines 6 See		9 Feedyard			ticide storage		
FROM 1	Well? WEST	LITHOLOGIC	LOG	FROM	How mar		UGGING II	JTERVALS
	Tolo	C / /	LOG	111014				TILITYALO
31 8	, , <u>, , , , , , , , , , , , , , , , , </u>	astic Clau						
Ø 31 Ø' /.	51 Box Si	11 //	/					
15' 2	o' Mid	119 Clay	Charles			-	,	
	07/	0'0	Saturated					
20' 2	6' MED	To Coars	= Soul					**************************************
20 2	b MED	10 (04/)	E SAN C					
						,		
							-	
				1				
				1				
Z CONTRACT	ODIS OD LANDOWAL	ED'S CEDTIFICAT	ION: This water well w	as MY construc	ted (2) reco	nstructed or (3) n	lunged und	er my jurisdiction and was
7] CONTRACT completed on (r	TO CHE LANDOWNE	-6-95	ION. ITHS WATER WEILW	as X constitut	and this reco	rd is true to the he	st of my kny	er my jurisdiction and was owledge and belief. Kansas
			This Water W					- 95
under the busin	ess name of $Kur7$	+ F. W	LI MELLE	reii necord was	by (signat			· · · · · · · · · · · · · · · · · · ·
under the busin	O Harris Of A U/		FIRMLY and PRINT clearly. Ple			170112	7	posine to Kosses Deserved
of Health and	cse typewriter or ball point Environment, Bureau of Water	r, Topeka, Kansas 666	20-0001. Telephone: 913-296-5	545. Send one to \	VATER WELL OW	NER and retain one for	r your records.	opies to naisas pepartment