1		WATE		orm WWC-5		-1212	
LOCATION OF WA		Fraction	NIL/7 NITE		tion Number	Township Number	Range Number
County: Sedgwic		SW 1/4		1/4	35	т ²⁶ ©	R ¹ (E)w
		-	address of well if located	within city?			
 		ch Industri	Aire, Kansas				
WATER WELL OV	***************************************		h Street North				1958503
RR#, St. Address, Bo		chita, Kans					re, Division of Water Resource
City, State, ZIP Code						Application Numb	
AN "X" IN SECTIO	N BOX:					TION: 1369.64	
_	N						ft. 3
							_{y/yr} 04/16/95
NW	X- NE	Pum	p test data: Well water	was !\/.!	¹ ft. a	fter hours	pumping gpm
	'	Est. Yield !\/	⊕ gpm: Well water	was	ft. a	fter hours	pumping gpm
w 1	E						in. to
<u> </u>	1 : 1 :	i .		Public water		8 Air conditioning	
SW	SE	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12 Other (Specify below)
1 1	!	2 Irrigation	4 Industrial 7	Lawn and g	arden only (Monitoring well	
. <u>L_'</u>		1	bacteriological sample st	ibmitted to De			yes, mo/day/yr sample was sub
TYPE OF BLANK	SACING HOED	mitted	5 Manual to 1	0.0		ter Well Disinfected? Yes	
J		ID)	5 Wrought iron	8 Concre			Slued Clamped
1 Steel	3 RMP (SI 4 ABS	on)	6 Asbestos-Cement		specify below	'	Velded
②PVC		:- 4-	7 Fiberglass			T	hreadedX
							in. to
			.in., weight	_			
TYPE OF SCREEN C	3 Stainless		E Fiberalese	⑦PV(10 Asbestos-c	
2 Brass	4 Galvaniz		5 Fiberglass6 Concrete tile	9 ABS	P (SR)		cify)
CREEN OR PERFO						12 None used	
1 Continuous sk	_	fill slot		d wrapped rapped		8 Saw cut 9 Drilled holes	11 None (open hole)
2 Louvered shut	_	Key punched	7 Torch	• •			
CREEN-PERFORAT			7 101011	Jul 10		To Other (specify)	
			9 # *0	19	# Ero	~	4 40 44
JOHELIN LINEONAL	ED INTERNACO.						ft. to
		From	ft. to		ft., Fro	m	ft. toft.
	CK INTERVALS:	From	7 ft. to	19	ft., From	m	ft. toft.
GRAVEL PA	ACK INTERVALS:	From From	7. ft. to ft. to ft. to	19	ft., Froi ft., Froi ft., Froi	ກ	ft. to
GRAVEL PA	CK INTERVALS:	From From		1.9 (3)Bentor	ft., From ft., From ft., From hite 4	ກ ກ Other	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	L: 1Neat of	From From cement .ft. to		1.9 (3)Bentor	ft., From the ft	mm m Other ft., From	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so	L: 1Neat of the course of possible	From From cement ft. to contamination:	ft. to	3Benton	ft., Froi ft., Froi ft., Froi nite 4 o7	m Other ft., From tock pens	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank	L: 1 Neat of m 0	From From cement ft. to contamination: ral lines	7	①Benton	ft., Froi ft., Froi nite 4 o7 10 Lives	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS: Divide the second of the seco	From From cement .ft. to contamination: ral lines s pool	7. ft. to 7. ft. to 1. ft. to 1. ft. to 2. Cement grout 2. ft., From 7. Pit privy 8. Sewage lagor	①Benton	ft., Froi ft., Froi nite 4 707 10 Lives 11 Fuel 12 Fertili	m	ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight several groups of the control	L: 1 Neat of m 0	From From cement .ft. to contamination: ral lines s pool	7	①Benton	ft., Froi ft., Froi nite 4 7	m	ft. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight several groups of the control	CK INTERVALS: Divide the second of the seco	From From cement .ft. to contamination: ral lines s pool	7. ft. to 7. ft. to 1. ft. to 2 Cement grout 5. ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	①Benton	ft., Froi ft., Froi nite 4 707 10 Lives 11 Fuel 12 Fertili	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2	Description of the control of the co	From From From cement .ft. to contamination: ral lines s pool page pit LITHOLOGIC	7. ft. to 7. ft. to 1. ft. to 2 Cement grout 5. ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	Description of the second of t	FromFromFrom cement .ft. toFrom	ft. to 7 ft. to 10 ft. to 2 Cement grout 5 ft., From 5 7 Pit privy 8 Sewage lagor 9 Feedyard	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2	Description of the second of t	FromFromFrom cement .ft. toFrom	7. ft. to 7. ft. to 1. ft. to 2 Cement grout 5. ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0	Description of the control of the co	FromFromFrom cement .ft. toFrom	ft. to 7 ft. to 10 ft. to 2 Cement grout 5 ft., From 5 7 Pit privy 8 Sewage lagor 9 Feedyard	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0	Neat of possible 4 Later 5 Cess over lines 6 Seep Wheat Brown Far Brown Far Seams Brown Far	From From From cement .ft. to contamination: ral lines s pool page pit LITHOLOGIC t Clay can to Fat (ft. to 7 ft. to 12 Cement grout 15 ft., From 5 17 Pit privy 18 Sewage lagor 19 Feedyard 10 LOG	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest set and set of the set	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Les Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Les Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool page pit LITHOLOGIC t Clay can to Fat (ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Les Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Les Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Fa Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Fa Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Fa Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Fa Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Fa Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5	ource of possible 4 Later 5 Cess ver lines 6 Seep Wheat Brown Fa Brown Fa Seams Brown Fa Olive-Gr	From From From cement .ft. to contamination: ral lines s pool bage pit LITHOLOGIC tt Clay can to Fat (ct Clay cay Weathered	ft. to 7. ft. to 1. ft. to 2 Cement grout 7. ft., From	3Bentor ft. t	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5 18.5 19.0	Wheat Brown Fa Brown Fa Olive-Gr Gray Hig	From	ft. to ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lagor 9 Feedyard LOG Clay With Sand ed Shale red Shale	3Benton FROM	inte ft., From tt., From t	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5 18.5 19.0	Wheat Brown Fa Brown Fa Olive-Gr Gray Hig	From	ft. to 7 ft. to 12 Cement grout 15 ft., From 5 17 Pit privy 18 Sewage lagor 19 Feedyard 10 Clay With Sand 10 Shale 10 Shale 10 Shale	3Benton FROM FROM Con	tt., From tt., F	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5 18.5 19.0 CONTRACTOR'S completed on (mo/day)	Wheat Brown Fa Brown Fa Olive-Gr Gray Hig	From. From Cement If to	ft. to 7 ft. to 12 Cement grout 15 ft., From 5 17 Pit privy 18 Sewage lagor 19 Feedyard 10 Clay With Sand 10 Shale 11 Seed Shale 12 Shale 13 Shale 14 Shale 15 Shale 16 Shale	3Benton FROM FROM Con	tted, (2) reco	m	ft. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0.0 0.2 0.2 3.0 3.0 9.0 9.0 13.0 13.0 18.5 18.5 19.0 CONTRACTOR'S completed on (mo/day)	Wheat Brown Fa Brown Fa Olive-Gr Gray Hig	From. From Cement ft to Contamination: ral lines s pool page pit LITHOLOGIC It Clay ray Weathere hly Weather hly Weather Alt Clay From Contamination: ral lines s pool contaminatio	ft. to 7 ft. to 12 Cement grout 15 ft., From 5 17 Pit privy 18 Sewage lagor 19 Feedyard 10 Clay With Sand 10 Shale 10 Shale 10 Shale	3Benton FROM FROM Con	tted, (2) reco	no Other	ft. to