WATER Y	WELL R	ECORD	Form WWC-5	Divisi	Division of Water Resources; App. No.			
1 LOCAT	ON OF W	ATER WELL:	Fraction	Se	ction Number	Township Number T 26 S	Range Number	
County:	Gree	nwood	NE 4 NW 4	vell if Glo	hal Positioni	ng System (decimal deg	rees, min. of 4 digits)	
Distance and direction from nearest town or city street address of well if located within city? 220 S. Walnut, Eureka, KS 67045 Global Positioning System (decimal degrated within city? 220 S. Walnut, Eureka, KS 67045 Longitude: W 96.29668°								
2 WATER WELL OWNER: Johnson's General Stores, Inc.					Elevation: RIM: 1053.98; TOC: 1053.76			
RR# St. Address. Box # : PO Box 9250					Datum: NAVD88			
City, Stat	e, ZIP Cod	e : Wichita	KS 67277	D	ata Collection	Method: legal survey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 10.70 tt.								
LOCATON WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 SECTION BOX: MW14 Depth(s) Groundwater Encountered 1 SECTION BOX: MW14 Depth(s) Groundwater Encountered 1 SECTION BOX: MW14 Depth(s) Groundwater Encountered 1 SECTION BOX: Depth(s) Groundwater Encountered 1 SECTION BOX: MW14 Depth(s) Groundwater Encountered 1 SECTION BOX: MW14 Depth(s) Groundwater Encountered 1 SECTION BOX: MW15 SECTION BOX: MW16 Depth(s) Groundwater Encountered 1 SECTION BOX: MW17 Depth(s) Groundwater Encountered 1 SECTION BOX: MW18 Depth(s) Groundwater Encountered 1 SECTION BOX: MW19 Depth(s) Groundwater Encountered 1 SECTION BOX: MW								
WITH A	N "X" IN	Depth(s) Groun	ndwater Encountered 1		ft. 2	2 ft. 3	tt.	
SECTIO	N BOX:	WELL'S STAT	TIC WATER LEVEL	Dry ft.	below land su	rface measured on mo/o	$\frac{6}{5}/12$	
N Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping							mg gpm	
		Est Vield	gnm: Well water v	vas	ft. after	hours pump	oing gpm	
1 1 km, 1 .:= 1 WELL WATER TO BE USED AS: 5 Public water supply 8 Air concluding 11 injection wen								
1 1 1 1 1 1 1 1 1 1								
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well								
<u> </u>	S	Sample was su	bmitted		Water	Well Disinfected? Yes	s No X	
5 TWDE OF CASING USED: 5 Wrought Iron & Concrete tile CASING JOINTS: Glued Clamped								
1 Steel	T CASILL	RMP (SR) 6	A shestos-Cement	Other (st	pecify below)	Weld	ed	
2 PVC	1	ABS 7	Fiberolass	(-)	,	Threa	aded X	
Plank assin	diameter	in to	3 ft Dia	in	. to	ft Dia in	n. to ft.	
Was a chemical/bacteriological sample submitted to Department? Yes No X; if yes, mo/day/yrs Sample was submitted water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.22 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)								
Casing neight below land surface U.42 It., Weight 105./It. With the three of gauge 105./It. With th								
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)								
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 3 ft. to 10.70 ft. From ft. to ft.								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-P	EKFOKAI	ED INTERVALS	From	ft to	ft	From	to ft.	
GRAVEL PACK INTERVALS: From 2 ft. to 10.40 ft. From ft. to								
GRA	VEL PACE	INTERVALS:	From 4	ft to	10.40 II.	From ft	to ft.	
From ft. to ft. From ft. The ft. From ft. From ft. The ft. From ft. The ft. From f								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1 ft								
Grout Intervals From 1 ft. to 2 ft. From ft. to 1t. From 1t. to 1t. From 1t. to 1t.								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 1 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? NE 12 Fertilizer storage 15 Oil well/ gas well How many feet? ~300 ft								
Direction fro	om well?	NE	L	now many				
FROM	TO	LITHC	LOGIC LOG	FROM	TO	PLUGGING IN	TERVALS	
0		ilty clay, hard	The second secon					
4		ravel river rock					A STATE OF THE STA	
7			imestone then tan, hard	l	-			
	S	hale				A CONTRACTOR OF THE CONTRACTOR		
					 			
			324				- Valoria - Valo	
					Flu	shmount waiver from	BOW	
				<u></u>	1		tmated on (2) =1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/23/12 and this record is true to the best of my knowledge and belief.								
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No								
under the business name of Larsen & Associates, Inc. Inis water well contractor's License No. 757 Inis water well keeping was completed by (signature) 1 1 1 1 1 1 1 1 1								
The state of the s								
Geology Section 1000 SW Jackson St. Suite 420 Topeka Kansas 66612-1367. Telephone 785-296-5522. Send one WATER WELL OWNER and retain one for								
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.								