			•••••				Y			
	N OF WATE				I	tion Number			i i	Section Contraction of the Contr
County:	Greer	wood	SW 1/4	NE ¼ NE	1/4	3	т <b>26</b>	S	R 10	E
				dress of well if located						
418 N. Ma	in – Eurek	а								
2 WATER V	VELL OWNE	R: Antea	Group							
				entre Blvd., Ste.	С		Board of Agri	culture. Div	vision of Water F	Resources
City State 7	ID Codo	Saint	Peters MO 6	3376			Application N			
LOCATE	WELL'S LOC	ATON WITH	41.1							
<sup>3</sup> AN "X <u>" IN</u>	SECTION B	XC:	DEFINOR C	OMPLETED WELL	14.3	ft. ELE	ATION:	108	4.11 (TOC)	
<b>♦</b>			Depth(s) Ground	water Encountered WATER LEVEL	1	ft	. 2	ft.	3	ft.
	- NW	NF	WELL'S STATIC	WATER LEVEL	Dry ft.	below TOC r	neasured on mo/	day/yr	01/1	5/13
	i	; VI	Pumi	test data: Well wate	er was	f	t. after	hours	pumping	gpm
∰ w	i	E	Est Yield	gpm: Well wate	er was	f	t after	hours	pumpina	apm
-	Х	i 1	Bore Hole Diame	ater 8.25 in to	14.	35	ft and		in to	ft
	- sw	SE	WELL WATER T	eter <b>8.25</b> in. to TO BE USED AS: 5 is 3 Feed lot 6	Public water s	upply	8 Air conditi	oning	11 Injection well	
	i	ī	1 Domestic	3 Feed lot 6	Oil field water	supply	9 Dewaterin	g	12 Other (Speci	fy below)
<b>V</b>	i		2 Irrigation	4 Industrial 7	Lawn and gar	den (domesti	c) 10 Monitorir	ng well		•
	S			bacteriological sample						
			submitted				ter Well Disinfect			
E TYPE OF	DI ANIZ CAC	INC LICED.		E Manaht Iran						~~~~
	BLANK CAS			5 Wrought Iron					edClan	ihen
Printer Communication of the C		escusion <b>e</b>		6 Asbestos-Cemer				We		L
2 PVC	Approximation of the second se	4 ABS		7 Fiberglass				Thre	aded Fi	usn
3lank casing	diameter	2	in. to 4.3	5 ft., Dia	in.	to	ft., Dia		in. to	ft.
Casing heigh	nt above land	surface	0	in., weight	0.703	lbs./ft.	Wall thickness of	r gauge No	D. SCH	. 40
TYPE OF SO	CREEN OR P	ERFORATION	ON MATERIAL:		7	PVC	10 Asl	oestos-cen	nent	
1 Stee	el	3 Stair	nless steel	5 Fiberglass	8	RMP (SR)	11 Oth	ner (specify	y)	
2 Bras	ss	4 Galv	anized steel	6 Concrete tile	9	ABS	12 No	ne used (o	pen hole)	
SCREEN OF	R PERFORAT	TION OPEN	INGS ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (op	en hole)
	itinuous slot	3	Mill slot	6 Wire	wrapped		9 Drilled hole	s		
2 Lou	vered shutter	4	Key punched	7 Tord	ch cut		10 Other (spe	cify)		
SCREEN-PE	ERFORATED	INTERVAL	S: From	<b>4.35</b> ft. to	14.35	ft. i	rom	ft	. to	ft.
			From	ft. to		ft. I	rom	ft	. to	ft.
GRA	VEL PACK I	NTERVALS	: From	ft. to <b>2.35</b> ft. to	14.35	ft. I	From	ft	. to	ft.
			From	ft. to		ft.	From	ft	:. to	ft.
6 GROUT	MATERIAI ·	1 Nea		? Cement grout	3 Ba	ntonite	4 Other			······································
				ft. From	π.	40 15	π. From	44 ^	handanad water	II.
		e or possible	e contamination:	77 F114	n.e		stock pens	14 P	wanuuneu watel	WEII
	otic tank		4 Lateral lines	•					oil well/ Gas well	
	ver lines		· · · · · · · · · · · · · · · · · · ·	8 Sewag				10 (	zulei (specily be	, (OVV)
	tertight sewer	imes	6 Seepage pit	9 Feedy	aru		cticide storage			
Direction fro FROM		CODE	LITUO	LOGIC LOG	FROM	How many		LUGGING	INTERVALS	
0	0.3		Concrete	LOGIC LOG	FROW	10	Г	LUGGING	TINTERVALO	
	0.0			n to red brown, trac	`e					
0.3	14.35		ne sand	w rou prowii, udt	.					
<u> </u>			Refusal on bed	drock						<u></u>
14.35		1 1	imestone/shale)							
										ATT
							GPS:			
							Latitude: N			
							Longitude:	W 96.2	9348	
							1			
7 CONTRA	ACTOR'S OR	LANDOWN		ΓΙΟΝ: This water well v	vas (1) constri	ucted, (2) rec	onstructed, or (3)	plugged ur	nder my jurisdictio	on and was
completed of	on (mo/day/yr)	)	01/3	30/13			true to the best o			
	Contractor's I			531	This	Water Well F	lecord was comp	leted on (n	no/day/yr) <b>0</b> 3	2/25/13
	usiness name		GSI End	ineering, LLC		y (signature)		- 4 L		
INSTR	UCTIONS:. PI	ease fill in bla	anks and circle the co	rrect answers. Send thre	e copies to Kar	nsas Departme	ent of Health and E	nvironment,	Bureau of Water,	1000 S W
Jackso	n St., Ste. 420,	Topeka, Kar	nsas 66612-1367. Te	elephone: 913-296-5545.	Send one to V	VATER WELL	OWNER and retain	n one for yo	ur records.	