				EK WELL KEU	UKD FOIT			-1212 ID NO.		P	
	N OF WATER			AIVA/	, NE		on Numbe	er Township Nu	- 1	Range Nur	The state of the s
County:	direction from	n negreet tow	SE ½ n or city street a	ddrese of well i	f located with	hin city?	<u>ა</u>	T 26	<u> </u>	R 10	
	in – Eureka		ni or only sheet a	duress of well i	i iocated wit	inii City:					
	VELL OWNER		Group		<del>*************************************</del>			<u> </u>			
			int Peters C	entre Blvd	I., Ste. C			Board of Agricu	ılture, Divisi	on of Water Re	esources
City State 7	IP Code	· Saint F	Peters, MO		•			Application Nur			
LOCATE	WELL'S LOC	ATON WITH				40.4	e		4002 4	20 (TOC)	
AN "X" IN	SECTION BO	OX:	DEP IN OF					EVATION:			
1			Depth(s) Groun	ndwater Encoun	ntered 1			ft. 2	π. 3	04/45	ft.   1
		X,√E	WELL'S STATI	C WATER LEV	/EL	r <b>y</b> tt. i	pelow TOC	C measured on mo/da	ıy/yr	01/10	713
w w	i		Pun	np test data:	Well water v	as		ft. after	nours pu	mping	gpm   gpm
∴			Est. Yield	gpm:	vveil water v	vas 42 A		ft. after	nours pu	mping	gpin
	- SW	SE	WELL WATER	neter 6.23	in.to AS 5 Pul	lic water su	innly	π. and 8 Air condition	ina 11	Injection well	ft.
	i	i	1 Domest	tic 3 Feed lo	t 6 Oil	field water s	supply	ft. and 8 Air condition 9 Dewatering	12	Other (Specif	y below)
<b>4</b> L			2 Irrigatio	n 4 Industri	al 7 Lav	vn and gard	en (domes	stic) 10 Monitoring	well		
	S							t? Yes No X			
			submitted		•			Vater Well Disinfecter		•	- 1
5 TYPE OF	BLANK CAS	ING USED:		5 Wrough	nt Iron	8 Concre	ete tile	CASING JOIN	TS: Glued	Clam	ped
1 Stee		3 RMP (	(SR)	6 Asbesto					Welde	d	
2 PVC		4 ABS	•	7 Fibergla				,	Threade	ed <b>Fl</b> t	ısh
Secretario de la composición dela composición de la composición dela composición dela composición dela composición dela composición de la composición del composición del composición dela composición del composición dela composición del composición del composición del composición dela composición dela composición dela composición del composición dela composición dela com	CONTRACTOR	mod		•							
Casing beigh	nt above land	surface	0	in weight	0.	703	lbs./i	ft., Dia ft. Wall thickness or	auge No.	SCH.	40
			N MATERIAL:	III., WOIGIRE		7	PVC	10 Asbe	stos-cemen	t	
1 Stee			ess steel	5 Fibergla	ass						
2 Bras		4 Galva	nized steel	6 Concre	te tile	9	ABS `	) 11 Othe 12 None	used (oper	n hole)	
SCREEN OF	R PERFORAT	Parity and the	NGS ARE:					8 Saw cut	1	11 None (ope	en hole)
1 Con	ntinuous slot	3	Mill slot		6 Wire w	rapped					
2 Lou	vered shutter	4	Key punched		7 Torch o			10 Other (spec	fy)		
SCREEN-PE	ERFORATED	INTERVALS						. From			
			From		ft. to		ft	. From	ft. to		ft.
GR/	AVEL PACK I	NTERVALS:	From	1.45	ft. to	12.45	ft	. From	ft. to		
		***************************************	From		ft. to			. From			ft.
								4 Other			
Grout Interv	als From	0.75	ft. to 1.4	5 ft. From	,	ft. t	io	ft. From		ft. to	ft.
What is the	nearest sourc	•	contamination:					restock pens			well
1 Sep	otic tank		4 Lateral line	es 7	7 Pit privy			el storage			
	wer lines		5 Cess pool		3 Sewage I	_		rtilizer storage	16 Oth	er (specify bel	ow)
ĺ	tertight sewer	lines	6 Seepage p	ort 9	9 Feedyard			secticide storage			
Direction fro FROM	m well?	CODE	1 174	OLOGIC LOG		FROM	How ma	any feet?	JGGING IN	TERVALS	
0	0.3		oncrete	OLOGIO LOG		1110101	10	1.2	300110111	121(17(10)	
<del>-</del>			Ity Clay, dar	k brown to br	rown to		1				
0.3	12	rec	d brown, trace	to some fine	sand						
12	12.45		eathered SI		rown						
40 AE		1	efusal on be								
12.45	<b>_</b>	<u>  (III</u>	mestone/shale	7							
	<b></b>		****				-				
						1	1		·····	······································	
								GPS:			
								Latitude: N 37.82228			
								Longitude: V	v 96.293	75	
						The state of the s					
7 CONTR	ACTOR'S OR	LANDOWNE			ater well was			econstructed, or (3) p			
1 .	on (mo/day/yr)			/30/13				is true to the best of I			
Water Well	Contractor's L	icense No.		531	~~~~~~~	This V	Vater Wel	l Record was comple		~~,·,·,	2/25/13
under the b	usiness name	of	GSI En	ngineering,	LLC	b	y (signatur	re) Jarol a	Vato		
INSTR	UCTIONS: Pi	ease fill in blan	nks and circle the	correct answers.	Send three c	opies to Kan	sas Departi	ment of Health and Env	ironment, Bu	reau of Water,	1000 S W