WATER WELL RECORD	Form W	VWC-5	D	ivision of Wate	er Resources App. N	o. L		
1 LOCATION OF WATER WELL		\	Secti	on Number	Township No.			
County: Street/Rural Address of Well Locat	ion: if unknown distance	V 1/4 SE 1		36 al Pasitionine	T QL S g System (GPS) in		X E □W	
from nearest town or intersection:					g system (GFS) ii		nal degrees)	
			Long	Longitude: (in decimal degrees)				
			Elev	Elevation:				
2 WATER WELL OWNER: Ch	aclie Isle			Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 578 Alabema &			GPS unit (Make/Model:)					
City, State, ZIP Code : Change, K5. bb720				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL	Physical Physical	PIPO	ESI. A	Accuracy.	-3 m, <u> </u>	<i>3</i> -13 III,	~ 1.3 III	
WITH AN "X" IN 4 DEPTH	in the second se							
SECTION BOX: Depth(s) G	N WELL'S STATIC WATER LEVEL. 75							
Pump test data: Well water wasft. after hours pumping								
NIW NE EST. YIELDgpm, Well water wasft. after hours pumpinggpm								
W E Bore Hole Diameter Din. tott., andin. tott.								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)								
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water went districted: 105 Jan 140								
5 TYPE OF CASING USED: Steel PVC DOther HD. Polyethy Roe CASING JOINTS: Glued Clamped Welded Threaded Fusion								
Casing diameter 3.4 in. to								
Casing height would land surface in., Weight JUK II								
TYPE OF SCREEN OR PERFORATION MATERIAL: None								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: NOO 8								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From								
Grout Intervals: From 2.50 ft. to								
What is the nearest source of possible contamination:								
Septic tank Sewer lines Cess	ral lines Pit privy pool Sewage lagoon	Livestocl Fuel store		☐ Insecticide		er (specify t	pelow)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fe			r storage Oil well/gas well					
Direction from well			e from w					
	LOGIC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	GGING IN	TERVALS	
9 4 Soil + clay 4 6 lime								
8 65 Shale								
65 112 lime water	~ 0 78 ′	250	3	1 / 1	bores plu	gged u	zith	
112 165 Shale				Hig	gh Solible	<u>staton</u>	<i>i</i> +e	
165 214 Sandstone 214 245 lime					-			
245 250 Sandstone				<u> </u>	· · · · · · · · · · · · · · · · · · ·			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)32. and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No56 This Water Well Record was completed on (mo/day/year)								
under the business name of E. G. L. L. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								