WATER W	ELL RECORD	Form WWC-5		Division of Water	Resources App. No		
	ON OF WATER WELL:	Fraction		Section Number	Township No.		
County: Allen				4	T 26 S	R 18	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
MW-15				Longitude: 95.43 <b>961</b> (in decimal degrees)			
910 Mulberry, Humboldt, KS				Elevation:			
2 WATER WELL OWNER: Aday's Speedy Mac				Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 317 S. 9th St.				GPS unit (Make/Model: Garmin 60CS			
City, State, ZIP Code : Humboldt, KS				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:							
WITH AN	"X" IN 4 DEPTH OF	COMPLETED WELL .10					
SECTION BOX: Depth(s) Groundwater Encountered (1)							
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
CCT VIELD - gram Well water was - ft after - hours numning -							
W - NW NE -   EST. FIELD. Well water was the after mours pumpinggpin. Well water was the after mours pumpinggpin.							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)  Irrigation Industrial Domestic-lawn & garden Monitoring well							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well							
s If yes, mo/day/yr sample was submitted NA							
Water well disinfected? Yes No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .2 in. to .5 ft., Diameter in. to ft., Diameter ft., Diameter ft.							
Casing height above land surface. Flush in., Weight							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)							
Louvered shutter  Key punched  Wire wrapped  Saw cut  Other (specify)							
SCREEN-PERFORATED INTERVALS:       From . 10.       ft. to . 5.       ft., From       ft. to       ft. to							
GRAVEL PACK INTERVALS: From . 10							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Interv			11	ı. 10 11	., From	π. ιοπ.	
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon I Fuel storage Abandoned water well							
	tertight sewer lines Seepag	. — . —	ilizer stor	orage 🔲 Oil well/ rom well	_		
	r from well	OGIC LOG FRO				UGGING INTERVALS	
0 1	Topsoil	110					
1 3	Clay						
3 6	Clay w/ gravel and sa	and					
6 10							
10	Boring Terminated						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .9/30/09							
Kansas Water Well Contractor's License No. 710 This Water Well Record was completed on (morday/year) 10/6/09							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue,	(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-12				Check:	White Copy,   E	Blue Copy, Pink Copy	