A la control of the second		ELL RECORD For		KSA 82a-12		hin North	Donne March	
1 LOCATION OF WATER WELL:	1	NE % SE	% Secti	on Number	1	hip Number <b>26</b> S	Range Numbe	1
County: Allen Distance and direction from nearest to				4	T	<b>26</b> s	R 18	E
Distance and direction from nearest to	with or dity street adules	Located at 21	8 N. 9 <sup>th</sup> S1	t.				
WATER WELL OWNER: John								
RR#, St. Address, Box # : 218 N					Roard of	Agriculture Divi	ision of Water Resou	irces
Sit. Chata ZID Codo . Humi	andt KS 66748				Applicati	ion Numbor:		
LOCATE WELL'S LOCATON WITH	H .				Applicati	on Number.		
LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	DEPTH OF COM	PLETED WELL	12.0	7 ft. ELEV	ATION:			
	Depth(s) Groundwate	er Encountered 1	4.3	<b>3</b> ft.	2	ft.	3	Ft.
N	WELL'S STATIC WA							
<b>A</b>	i .	t data: Well water						
	Est. Yield							
NWNE	Bore Hole Diameter	8.625 In. to	12.0	7	Ft. and	ir	n. to	Ft.
₩ W	E WELL WATER TO B	<b>8.625</b> In. to E USED AS: 5 Put Feed lot 6 Oil	blic water su	pply	8 Air co	nditioning 1	1 Injection well	
₹ "   X	1 Domestic 3	Feed lot 6 Oil	field water s	upply	9 Dewa	tering 1	2 Other (Specify bel	ow)
SW SE	2 Irrigation 4	Industrial 7 La	wn and gard	en (domestic	) 10 Mon	itoring well	MW-6	
5W   5E	Was a chemical/bact	eriological sample su	bmitted to D	epartment?	Yes	No X If ves	. mo/dav/vr sample v	≀as
† <u>                                    </u>	Submitted					nfected? Yes	V	
5 TYPE OF BLANK CASING USED:		Wrought Iron	8 Concre					
1 Steel 3 RMF		Asbestos-Cement					led	
	` '		3 Other (	specify belo	·• )	The	<b>v</b>	
2 PVC 4 ABS	′	Fiberglass				Inre	aded X	
Blank casing diameter 2	In. to 3.5	Ft., Dia	In. to	)	ft., Dia		in. to	ft.
Blank casing diameter <b>2</b> Casing height above land surface	FLUSH in	weight SC	CH 40	Lbs./ft.	Wall thickn	ess or gauge No		
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:		7	PVC	10	Asbestos-ceme	·	
		Fiberglass	-	RMP (SR)		Other (enecify)		
	anized steel 6	Concrete tile	9	ABS	12	None used (op	en hole)	
SCREEN OR PERFORATION OPEN	NGS ARE:	5 Gauze	d wrapped		8 Saw cu	ıt	11 None (open ho	ie)
1 Continuous slot 3	Mill slot		rapped		9 Drilled	holes		
2 Louvered shutter 4	Key punched	7 Torch	cut		10 Other	(specify)		
SCREEN-PERFORATED INTERVALS	S: From <b>3.5</b>	ft. to	12.07	ft. F	rom	ft. 1	to	_ft.
		ft. to		ft. F	rom	ft. 1	to	Ft.
SAND PACK INTERVALS:	From <b>2.5</b>	ft. to	12.07	ft. F			to	
	From	ft. to			rom		to	Ft.
GROUT MATERIAL: 1 Nea	t cement 2 Ce	ment grout	3 Bent	onite	4 Other			
		Ft.	Ft.					
Grout Intervals From3 .5	ft. to <b>2.5</b>	From2	to		ft. F	rom	ft. to	ft.
What is the nearest source of possible				10 Livest	-		andoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuels	•		well/ Gas well	
2 Sewer lines	5 Cess pool	8 Sewage I	agoon	12 Fertili	zer storage		ner (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard		13 Insec	ticide storag	e Co	ntaminated Si	e
Direction from well?				How many	feet?			
FROM TO CODE	LITHOLOG		FROM	то		PLUGGING II	NTERVALS	
0 2.5 C	lay, medium stif							
	lay, silty, mediu							
	leathered shale,	stiff	ļ					
12.07 TD E	ND BOREHOLE							
		,,						
			<del> </del>					
			<del>                                     </del>	<del> </del>				
			<del> </del>					
			1	1				
			1					
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION:	This water well was	(x) construc	ted, (2) reco	nstructed, o	r (3) plugged und	der my jurisdiction ar	id w
Completed on (mo/day/yr)	2/15/201	10	And thi	is record is tr	ue to the be	st of my knowled	ige and belief. Kans	as
Water Well Contractor's License No.	5	85	This W				day/yr) 2/26/20	
under the business name of	Associated	Environmenta	l Inc	ь	v (oignoturo	Rradley I	lohneon	
INSTRUCTIONS:. Please fill in blar	nks and circle the correct a	nswers. Send three o	opies to Kansa	as Departmen	t of Health an	d Environment, Bu	ureau of water, Topek	ļ, —
Kansas 66620-0001. Telephone: 9	13-296-5545. Send one t	O WATER WELL OWN	IER and retain	one for your	records.`	R		