	WAT	ER WELL RECORD	Form WWC-5	KSA 82a-	1212		MW-6
LOCATION OF WA	TER WELL: Fraction			tion Number	Township	Number	Range Number
County: Sedgwid	x ∣ Sw			30	⊤ 26	s	R 2 (EW
Distance and direction	from nearest town or city street 8810 N. Woodlawn, Wic	address of well if local	ted within city?				
		anta, lo					
WATER WELL ON	NNEH: Dx #Coastal Mart #7303	Attn: Hugh F	Rostic		Poard of	Agriculture Divis	sion of Water Resources
RR#, St. Address, Bo City, State, ZIP Code		500, Wichita	, Ks 6720:	2		on Number:	
LOCATE WELL'S	OCATION WITH A DEBTH OF	COMPLETED WELL	15	# FLEVA	ION.		,,,,,
AN "X" IN SECTIO	DOCATION WITH 4 DEPTH OF Depth(s) Groun	ndwater Encountered	1 9.5			ft. 3 <del></del>	ft.
	WELL'S STAT	IC WATER LEVEL	JA 95 th b	elow land surf	ace measured of	on mo/day/yr	<b>NA</b>
†   i							ing gpm
NW	. I NF I 1	•					ing gpm
							<del></del>
¥ w 1	<del>+</del>	TO BE USED AS:	5 Public water		8 Air conditioning		ection well
7   1	1 Domest	ic 3 Feedlot	6 Oil field war	ter supply	Dewatering	12 Oth	er (Specify below)
sw	2 Irrigation	n 4 Industrial	7 Lawn and g	garden only	Monitoring w	$_{ m ell}$ . $m\omega$	6
1   1	Was a chemica	al/bacteriological sample					o/day/yr sample was sub-
1	s mitted			Wat	er Well Disinfec	ted? Yes	- No X
5 TYPE OF BLANK	CASING USED:	5 Wrought iron	8 Concre	ete tile	CASING J	OINTS: Glued	Clamped
Steel	3 RMP (SR)	6 Asbestos-Cemen	t 9 Other	(specify below	<b>'</b> )	Welded	<del></del>
<b>(₂)•</b> vc	4 ABS	7 Fiberglass					d. <b>X</b>
	r <del>2</del> in. to 5						
Casing height above	land surface $\mathcal{D}$	in., weight 🛇			t. Wall thickness	s or gauge No.	—— <del>——</del>
TYPE OF SCREEN (	OR PERFORATION MATERIAL:		∨فرخ		10 A:	sbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass		IP (SR)			<del></del>
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S		one used (open	
	PRATION OPENINGS ARE:		uzed wrapped		8 Saw cut		1 None (open hole)
1 Continuous si	_		e wrapped		9 Drilled holes		
2 Louvered shu	_ * ' _	<b>—</b>	ch cut 15			• -	
SCREEN-PERFORAT		• ft. to					
SAMO	FromT.	2 ***	15	÷÷ıı., Fion	n <del></del> .	ft to	
GHAVEL P	ACK INTERVALS: From From	ft. to		ft., Fron			ft.
6 GROUT MATERIA		2 cement grout	3 Bento	nite 4	Other	π. ισ .	11.
_	om	ft From		to 3	ft From		ft. toft.
	source of possible contamination:	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			ock pens		ndoned water well
	4 Lateral lines	7 Pit privy			•	15 Oil w	
2 Sewer lines 5 Cess pool 8 Sewage					zer storage		r (specify below)
	wer lines 6 Seepage pit	9 Feedyard	•	13 Insect	icide storage	Contaminat	
Direction from well?		•		How man	y feet?	Carcallia	red pt
FROM TO	LITHOLOGI	C LOG	FROM	то		PLUGGING INTE	ERVALS
GL 0.50	Soil						
0.50 9.00	Silty Clay (CL)						
9.00 10.50	Sand						
10.50 15.00	Silty Clay (CH)						
15.00 TD	End of Borehole						
. ,				-			
+				<del>                                     </del>			
				Flush Mount			
				waiver			
				D. Taylor			
			-	2/10/95			
		TION, This		oted (2) rece	netruoted or (2)	hunded under	my jurisdiction and was
7 CONTRACTOR'S	OR LANDOWNER'S CERTIFICA	TION: This water well	was (1) constru	and this reco	rdie true to the l	, plugged under beet of my knowl	ledge and helief Kaneae
completed on (mo/da	y/year) 8/17/95	This 14/	Mall Bassed	and this reco	on moderate	est of my knowl	ouge and belief. Natisas
Water Well Contracto	or's License No585 · · · · ·	This Water	Well Hecord wa	is completed of by (signat	on (momuay/yr) i		3/Barn Denc
under the business n	ame of Associated Envi	conmental, Inc	Place fill in him				•
INSTRUCTIONS: Use	typewriter or ball point pen. <u>PLEASE PRES</u> ment, Bureau of Water, Topeka, Kansas 66	6620-0001. Telephone: 913-29	6-5545. Send one to	WATER WELL OV	VNER and retain one	for your records.	co to randa Department