Loc	ATION OF W	ATER WELL:	FRACTION	Water Well Recor	d Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number	
			1					i -	
Sedgwick NE 1/4				SE 1/4	12	T 26 s	R 2E EAV		
Distance and direction frem nearest town or city street address of well if located within city?									
1/4 m. North of Hwy 254, W. side of 159th E. Wichita, Kansas									
2 W.	ATER WELL	OWNER: ESPAI	RZ A, Jesse						
RRM, ST. ADRESS, BOX#: 1660 N. Jeanette Board of Agriculture, Divivision of Water								vivsion of Water Resource	
CIT	Y, STATE, ZII	CODE: Wich:	<u>ita, Kansa</u>		67203 Application Number:			:	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 41 ft. ELEVATION:									
AN "	" IN SECTIO	N BOX:	Depth(s) groundwa	ter Encountered	1	ft.	2 ft.	3 ft.	
1 1			WELL'S STATIC WA	ATER LEVEL 1	7 FT	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	12/19/1995	
	NW	NE	Pump test	data: Well	water was	ft. a	fter hours pum	• •	
			st. Yield	gpm: Well	water was	ft. a	fter hours pum	ping gpm	
Mile	v	E B	ore Hole Diameter	12 in.	to 41	ft.	and in.	to ft.	
= '	1		VELL WATER TO B	E USED AS:	5 Public wate	r supply 8	Air conditioning 11 Ir	jection well	
						Dewatering 12 O	ther (Specify below)		
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was								o/day/yr sample was	
		e i	submitted			-	r Well Disinfected? Yes	•	
TVDE OF CASING LISED.									
5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued X Clamp 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded									
Vested Specify Desow)									
BDR-26									
	_	-		ft., Dia	in.		ft., Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
5 Filt and the company of the compan									
And the state of t									
2 Tolk used (open used)									
					zed wrapped			11 None (open hole)	
	lnous slot	3 Mill slot		6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 24 ft. to 40 ft., From ft. to ft.									
from				ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 2			LS: from 24	ft. to 40		ft., From	ft. to	ft.	
			from	ft. to		ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to								ft. to ft.	
What is the nearest source of possible contamination:			ontamination:			10 Livestoch		bandon water well	
1 Septic tank 4 Lateral lines			lines	7 Pit privy		11 Fuel stor	rage 15 O	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			ool	8 Sewage lagoon		12 Fertilize	r storage 16 O	16 Other (specify below)	
3 Wate	ertight sew			9 Feedyard		13 Insecticide storage None Apparent		` '	
Direction from well? How many feet?								nppurono	
FROM TO LITHOLOGIC LOG					FROM	то	PLUGGING INTER	VALS	
0	4	topsoil			1				
4	15	clay							
15	41	shale							
					1				
		-							
					+	-			
						1			
						 			
	 								
-						-			
—						1,			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No236 This Water Well Record was completed on (mo/day/yr)									
Under the business name of Harp Well & Pump Service Inc by (signature)									
Jane Frederick									
				_	•	,,,	Jane Fr	rederick	