1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	TII-N	Range Number	
					Township Number	1	
Sedgwick	SE 1/4		VE 1/4	25	т 26 s	R 2E E/W	
Distance and direction frem nearest town or city street address of well if located within city?							
4323 N. 159th E. Andover, Kansas							
WATER WELL OWNER: BECK, Joe							
RR#, ST. ADRESS, BOX#: 4323 N. 159th E.  Board of Agriculture, Divivsion of Water Resource							
CITY, STATE, ZIP CODE: Andover, Kansas Application Number:						::	
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 90 ft. ELEVATION:							
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
	WELL'S STATIC W	ATER LEVEL 4	) FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	02/24/1999	
NE X	Pump tes	t data: Well v	water was	ft. a	ıfter hours pum		
	Est. Yield	gpm: Well	water was		after hours pum		
E E	ore Hole Diameter	12 in.	to 90	ft.	and in.	to ft.	
E W F I	VELL WATER TO		5 Public water			njection well	
	1 Domestic		6 Oil field wa			ther (Specify below)	
SW SE	2 Irrigation		7 Lawn and g		0 Monitoring well	• • •	
	J		ū	· · · · · · · · · · · · · · · · · · ·	· ·	o/day/yr sample was	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted S Water Well Disinfected? Yes X No							
TYPE OF CACING HEED.							
5 Wrought iron 1 Steel 3 RMP (SR) 6 Asbestos-Cement				8 Concrete tile CASING JOINTS: Glued X Clamped 9 Other (Specify below) Welded			
2 PVC 4 ABS	7 Fiberglass	-	`				
		_		DR-26			
	in. to 40	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 12 TYPE OF SCREEN OR PERFORAT		weight 2		lbs. / ft. V PVC	Wall thickness or gauge No. 10 Asbestos-ceme	.214	
1 Steel 3 Stainless Steel	ION MATERIAL:	5 Fiberglass		RMP (SR)	11 other (specify		
		6 Concrete tile		ABS			
				ADS	12 None used (op 8 Saw cut	•	
SCREEN OR PERFORATION OPEN			ed wrapped			11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERVA	LS: from 40	ft.	to 90	ft., From	ft. to	ft.	
1	from	ft.	to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 30		ft. to 90		ft., From	ft. to	ft.	
	from	ft.	to	ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat co	ement 2 C	Cement grout	3 Вег	ntonite	4 Other		
Grout Intervals: From 4	ft. to 30	ft. From	ft.	to	ft. From	ft. to ft.	
What is the nearest source of possible contamination:				10 Livestoc	ck pens 14 A	bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	orage 15 C	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertiliz		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 F			13 Insecticide storage Nor		<sup>ide storage</sup> None	Apparent	
Direction from well?							
	ITHOLOGIC LOG		FROM	ТО	PLUGGING INTER	RVALS	
0 3 topsoil							
3   14   clay							
14 45 brown sha			<b>_</b>				
45 90 grey sha:	Le		<b>_</b>				
				<u> </u>			
				1 1			
			4	ļ			
			1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Well Contractor's License No	236	This Water Well R	ecord was c	ompleted on (m	o/dav/vr)02/2	5/99	
Under the business name of Ha	rp Well &	Pump Serv	ice, Ir	1C by (signa	ature)		
Todd S. Harp							