1 LOCATION OF W	WATER WELL:	FRACTION	Water	Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number	
	wick	SE 1/4	NE	1/4 SE	1/4	36	1	217	
	on frem nearest town or city stre				1/4		_T 26 _s	R 2E E/W	
1	•	ct address of well in R	cated within City	_					
WATERWELL	I. 159th E. LOWNER: BORN,	To be		Ando	ver ,	Kansas			
RR#, ST. ADRES	,		Er.				Board of Agriculture, D	ivivsion of Water Resource	
RR#, ST. ADRESS, BOX#: 3235 N. 159th E. CITY, STATE, ZIP CODE: Andover, Kansas							Application Number:		
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL					65 ft. ELEVATION:				
AN "X" IN SECTI	ON BOX:	Depth(s) ground			1	ft.	2 ft.	3 ft.	
1 +	**	LL'S STATIC V			_		FACE MEASURED ON mo/day/yr	06/08/2000	
		Pump te		Well wat			ifter hours pum		
NW	1 : 1	Yleld	gpm:	Well was			after hours pum		
w w		Hole Diameter		in. to		ft.	and in.	ping gpm to ft.	
ΣW	: [2]	LL WATER TO			ublic water	_		njection well	
	1 1 1 1	1 Domestic	3 Feedlo		Dil field wa		•	Other (Specify below)	
SW	1 340	2 Irrigation	4 Indust	rial 7 I	awn and g		0 Monitoring well	,	
	Was	a chemical/bac	teriological s	ample subm	itted to De	partment? Yes	No X; If yes, m	o/day/yr sample was	
		mitted				-	er Well Disinfected? Yes	• • •	
5 TYPE OF C	ASING USED:		5 Wrou	ght iron	8	Concrete tile		lued X Clamped	
1 Steel 3 RMP (SR)							Other (Specify below) Welded		
2 PVC	4 ABS		7 Fiberg	lass	S	DR-26	T	hreaded	
Blank casing Diam	meter 5 in.	to 25	ft.,	Dia	in.	to	ft., Dia in.	to ft.	
Casing height abo		in.	, v	reight 2.	35	lbs. / ft.	Wall thickness or gauge No.	.214	
TYPE OF SCRE	EN OR PERFORATION	MATERIAL:				PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (S						RMP (SR)	11 other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile					9	ABS	12 None used (or	en hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gau					d wrapped 8 Saw cut 11 None (open hole)				
1 Continous slot 3 Mill slot 6 Wire w					rapped 9 Drilled holes				
2 Louvered shutt	ter 4 Key punche	ed		7 Torch cu	ıt		10 Other (specify)		
SCREEN-PERFO	ORATION INTERVALS	from 2!	5	ft. to	65	ft., From	ft. to	ft.	
from				ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24			4	ft. to 6!		ft., From	ft. to	ft.	
from				ft. to	to ft., From		ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From ft. to			ft. Fr	ft. From		to	ft. From 4	ft. to 24 ft.	
What is the nearest source of possible contamination:			7 D	7 Dis		10 Livestoc		14 Abandon water well	
1 Septic tank 4 Lateral lines				t privy		11 Fuel sto	130	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				vage lagoon		12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage			
5 Seepage pit 7 Feeuyaru									
Direction from well? North FROM TO LITHOLOGIC LOG				- 1	How many feet? 200 FROM TO PLUGGING INTERVALS				
0 3	topsoil	orogic roc			FROM	1 10	FLUGGING INTE	WALS	
3 9	clay								
9 65	brown shale	e							
		<u> </u>							
			.,.						
7 CONTRACTO	OR'S OR LANDOWNER'S CE	RTIFICATION: T	his water w	ell was (1)	constructi	ed. (2) reconstru	cted, or (3) plugged under n	ny jurisdiction and	
CONTRACT	OR'S OR LANDOWNER'S CE	RTIFICATION: TI	his water w	ell was (1) <u>(</u> ar	constructo	ed, (2) reconstru	cted, or (3) plugged under n	ny jurisdiction and belief. Kansas Water	
was completed Well Contracto	d on (mo/day/year) or's License No23	06/08/ 6	.00	r Well Rec	nd this rec	ord is true to the	e best of my knowledge and o/day/yr)	belief. Kansas Water	
was completed Well Contracto	d on (mo/day/year)	06/08/ 6	.00	r Well Rec	nd this rec	ord is true to the	e best of my knowledge and b/day/yr)06/03	belief. Kansas Water	