1 LOCATION OF WATER WELL:		FRACTION	w	ater Well Rec	cora Form ww	Sect	tion Number	Township Number	Range Number	
Sedgwick		NE 1/4	ME		NW 1/4	1		1		
Distance and direction frem nearest town or city street address of w			NE	1/4	NW 1/4	1	3	т 26 s	R 2E E/W	
11801 E. 77th Wichita, Kansas										
	KOTTE	•								
RR#, ST. ADRESS, BOX#: 11801 E. 77th  CITY, STATE, ZIP CODE: Wichita, Kansas  Application Number:										
								Application Number	*	
LOCATE WELL	TION BOY:	DEPTH OF CO				ft		VATION:		
Depth(s) groundwater Encountered 1 ft. 2 ft. 3										
							W LAND SURF	FACE MEASURED ON mo/day/yr	10/18/2000	
Pump			st data: Well water was				ft. af	fter hours pum	hours pumping gpm	
Est. Yield			gpm: Well water was				ft. at	fter hours pum	ping gpm	
ğ w	E Bore	e Hole Diameter	12	in.	to 75		ft.	and in.	to ft.	
"	WE	LL WATER TO			5 Public wa	ter supp	oly 8	Air conditioning 11 I	njection well	
1 Domesti				3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				ther (Specify below)		
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well										
+	9 1	a chemical/bac	teriologic	al sample	submitted to	Departn			o/day/yr sample was	
S submitted Water Well Disinfected? Yes X No										
<b>—</b>	CASING USED:		5 Wr	ought iro	n	8 Conc	rete tile	CASING JOINTS: G	lued X Clamped	
1 Steel	3 RMP (SR)		6 Asb	estos-Cen	nent	9 Other	9 Other (Specify below) Welded			
2 PVC	4 ABS		7 Fibe	erglass		SDR-	26	T	hreaded	
Blank casing Di	ameter 5 in.	to 35	ft.,	Dia	i	n. to		ft., Dia in.	to ft.	
	bove land surface 12	in.	,	weight	2.35	lbs./	ft. W	Vall thickness or gauge No.	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement										
1 Steel	3 Stainless Steel		5 Fiber	rglass		8 RMP	P(SR)	11 other (specify)	)	
2 Brass	4 Galvanized steel		6 Conc	rete tile		9 ABS		12 None used (op	en hole)	
SCREEN OR P	ERFORATION OPENIN	G ARE:		5 Ga	uzed wrappe	i		8 Saw cut	11 None (open hole)	
1 Continous slo	t 3 Mill slot			6 Wi	re wrapped			9 Drilled holes		
2 Louvered shu	tter 4 Key punche	ed		7 To	rch cut			10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 35 ft. to 75 ft., From ft. to ft.										
from			_	ft. to			ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24			4	ft. to 75		ft., From		ft. to	ft.	
		from			ft. to		ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
Grout Intervals: From ft. to			ft.	ft. From		t. to		ft. From 4	ft. to 24 ft.	
What is the nearest source of possible contamination:							10 Livestock		bandon water weli	
1 Septic tank 4 Lateral lines			7	7 Pit privy			11 Fuel stor	rage 15 C	il well/Gas well	
2 Sewer lines 5 Cess pool			8	8 Sewage lagoon			12 Fertilize	r storage 16 O	ther (specify below)	
3 Watertight sewer lines 6 Seepage pit			9	9 Feedyard			13 Insecticio	do storoso	Apparent	
Direction from well?										
FROM TO	LITH	IOLOGIC LOG	}		FROM	1	TO	PLUGGING INTER	VALS	
0 4	topsoil									
4 8	clay									
8 75	shale									
L										
7 CONTRAC	TOR'S OR LANDOWNED OF	PTIFICATION. T	his water	well we	(1) conetru	cted (2	reconstruc	cted, or (3) plugged under m	v jurisdiction and	
CONTRAC	i OR 3 OR LANDOWNER'S CE	10/18/	'00	WEII WAS	and this r	ecord is	e true to the	best of my knowledge and	holiof Kaneae Water	
Well Contract	tor's License No 23	3.6	This W	ater Well	Record was	comple	eted on (mo	/day/yr)10/20	/00	
Under the bu	siness name of Harp	Well &	Pump	Ser	yice. ]	ກດ	by (signat	turo\	_	
Under the business name of HarpWell& PumpServiceInc by (signature)  Todd S. Harp										