		WAT	ER WELL REC	ORD Form	n WWC-5	KSA 82	!a-1212 ID No.				
1 LOCATION OF WATER WELL:						ion Numb		ip Number	Range Number		,
County: SE		8W 1/4	NPW 1	ME	y 4	24	T 20	S s	R 2	2E	Ε/W
Distance and direction	n from nearest town	or city street ac									
4846 N 143 RD ST											
2 WATER WELL OV	VNER: DENNIS	TURNER									
 RR#, St. Address, Bo	x# : 4846 N '	143 ^{KD} ST-E					Board of A	Agriculture, Divis	ion of Wate	r Resour	rces
City, State, ZIP Code	: WICHIT	A, KS					Applicatio	n Number:			
LOCATE WELL'S		4 55554.05			75		- F. (ATION)				
AN "X" IN SECTIO	├						LEVATION:				
. X Г							ft. 2				
1 ^							d surface measu				
NW	NE						ft. after				
		Est. Yield	gpm: \	Well water w	/as		ft. after	hours pu	mping	g	pm
₹ w ×	E	Bore Hole Diam	eter 10	in. to	/ :) 	ft. and 8 Air con- 9 Dewate	in.	to		ft.
		VELL VVATER I 1 Domest	ic 3 Feed lot	No: ⊃ Pub 6 Oild	nic water su field water s	ippiy supply	9 Dewate	uxioning ii ning 12	Other (Spe	en ecify belo	ow)
sw	SE	2 Impation	4 Industria	ni 7 law	m and nard	en (dome	estic) 10 Monit	nring well	Other (Ope	ony boil	,
↓ 		Nas a chemical	hacteriological	sample sub	mitted to F	enartmer	nt? Yes N	o X Ifves	no/day/yr s	amnie w	
•		submitted	Ducconological	oumpio oui	onnition to E		Water Well Disinf				uo
TYPE OF BLANK		Juditikted	5 Wrought	Iron	8 Coper		CASING				
1 Steel	3 RMP (SI	R)	•								
2 PVC	4 ABS	K)				-		vveide	d		
Blank casing diamete		: 75	7 Fibergla					i nreac	ded		
Casing height above I	ond our	14	m., Dia	1	In. ti		ft., Dia	¹	n. to	že	- π.
TYPE OF SCREEN C	AND SUNACE	MATERIAI :	in., weight	·	7	PVC	π. vvali tnicknes:	s or gauge No. Asbestos-cemen			
1 Steel	3 Stainles	s steel	5 Fibergia	ss	8	RMP (SR	10 /	Other (specify)	•		
2 Brass	4 Galvaniz	zed steel	6 Concrete	e tile	9	ABS	, 12 I	None used (oper	n hole)		
SCREEN OR PERFO	RATION OPENING	S ARE:		5 Gauzed	wrapped		8 Saw cut	1	1 None (o	pen hole	e)
1 Continuous s		Mill slot		6 Wire wr	• •		9 Drilled he	oles			
2 Louvered shu		• •		7 Torch c			10 Other (s	pecify)			
SCREEN-PERFORAT	TED INTERVALS:						. From	ft. to			_ ft.
		From	. <u></u> ft.	. to	<u></u>		. From	ft. to			_ft.
GRAVEL PAG	CK INTERVALS:	From	24 ft.	. to	75	ft	. From	ft. to			ู์ ft.
		From	ft.	to		ft	. From	ft. to			ft.
GROUT MATERIA	di 4 Nambaa	ment 2	Comont		3 Ponto	nite	4 Other				
							4 Otner		B 4.		
Grout intervals From What is the nearest so			π. From		π. t		ft. From				- π.
1 Septic ta		ntamination: 1 Lateral lines	7	Pit privy			estock pens				
2 Sewer lines		Cess pool		Sewage la	noon		el storage rtilizer storage		rell/ Gas we r (specify b		
3 Watertight se		Seepage pit		Feedyard	90011		secticide storage	io Othe	i (specily bi	GIUW)	
Direction from well?		- Coopago pa	•	. oouyaid			any feet?	1	00		
FROM TO	CODE	LITHOL	OGIC LOG		FROM	TO	, 1001:	PLUGGING INT			
0 2	TOP	SOIL									
2 11	CLA								·		
11 43	SHA		*****			1			***************************************		

Dire F 47 LIMESTONE 43 75 SHALE

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) CONSTRUCTED, (2) reconstructed, or (3) plugged under my jurisdiction and

611

completed on (mo/day/yr) 12-16-02

and this record is true to the best of my knowledge and belief. Kansas This Water Well Record was completed on (mo/day/yr) 12-16-02

Water Well Contractor's License No. **CHASE DRILLING** under the business name of

by (signature) RICK CHASE

INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.