			WATER	WELL RECO	ORD F	orm WV	/C-5 K	SA 82a-12	212			
1 LOCATIO	N OF WATE	R WELL:	FRACTION				TION NUMBER		HIP NUMBER	RANGE NU	MBER	
Sedg	wick .		SE 1/	4 SW 1/4	SW	1/4	24	Т	26 S	R 2E	E/W	
Distance and	direction fro	m nearest town or c	ity street address of v	well if located within	city?							
14700	E. 45th	***		lover, Kansas	<u> </u>							
	ER WELL (N HORN, La	•					Board of Agr	riculture, Division of Wa	ater Resource	
RR#,ST.	ADDRESS		700 E. 45th N.									
<u> </u>			dover, Kansa		. 80		P CODE:	ELEVATION	Application Nur	mper:	-	
	E WELL'S LO	CTION BOX:	DEPTH OF CO		: ou	• • • • • • • • • • • • • • • • • • • •		ELEVATION				
l, —	N N		Depth of groundwa		25	ft.			ft.	= 121	ft.	
			WELL'S STATIC V		25		W LAND SU		SURED ON mo/	• •		
	- NW	NE	Est. Yield:	Pump test data:	Well wate			ft. after ft. after		s of pumping @ s of pumping @	gpn gpm	
Wile *	-	E	Bore Hole Diame	gpm ter 12	in.	to 8	8 0 ft.		in.	to	ft.	
-			WELL WATER TO							44 1-1		
WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify beld)											ecify below	
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well												
,	s		Was a chemical/bad submitted	cteriological sample	submitted to D	epartment?	YES	NO Vater Well Dis	•	what mo/day/yr wa	as sample O	
5 TY	PE OF CAS	SING USED:				0.04			ASING JOINTS:	\sim	Threaded	
	. Steel	3. RPM ((SR) 5. Wroug	tht Iron 7.	Fiberglass		ther (Specify	below) C/	ASING JOINTS.	Welded	Clamped	
	2. PVC	> 4. ABS	6. Asbes	tos-Cement 8.	Concrete til	_e SDI	R-26				Oldriped	
Blank cas	ing diamete	er 5	in. to	30 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing h	eight above	land surface:	12 in.,	\	Neight:	2.35 lb	os. / ft.	Wall	thickness or gau	ge No214		
TYPE OF SCREEN OR PERFORATION MATERIAL:												
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
2. Bras	SS 4	l. Galvanized	Concrete	e Tile 8.	RMP (SR)	10. A	sbestos-Cer	ment 12. I	None used (open	hole)		
SCREEN	OR PERFO	RATION OPENI	NGS ARE:									
1. Conti	nuous slot	3. Mill	slot 5	5. Gauzed wrapp	ed	7. To i	rch cut	9. Dr	illed holes	11. None (o	pen hole)	
2. Louve	ered shutte	er 4. Key	punched 6	6. Wire wrapped		8. Sa	w cut	10. Ot	ther (specify)			
SCREEN -	PERFORA	TION INTERVAL	L From	30 ft.	to	80	ft.,	From	ft.	to	ft.	
			From	ft.	to		ft.,	From	ft.	to	ft.	
G	RAVEL PA	CK INTERVALS:	From	24 ft.	to	80	ft.,	From	ft.	to	ft.	
			From	ft.	to		ft.,	From	ft.	to	ft.	
e GROI	IT MATER	ALS: 4 No.								tonite hole plu		
GROUT MATERIALS: 1. Neat cement 2. Cement Grout Grout Intervals: From 4 ft. to 24 ft. From						3. Bentonite				•	.g ft.	
Grout Intervals: From 4 ft. to 24 ft., From What is the nearest source of possible contamination:						ft. to		ft.,	From	ft. to		
						D. Livestock pens		13. Insecticide storage			15. Oil well/Gas well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 1						1. Fuel sto	rage	17. Abandon Water Well			B. Other (specify below)	
3. Water	rtight sewe	r line 6. Seep	page pit	9. Feed yard	1:	2. Fertilize r	storage			None Ap	parent	
Direction from well?							,	How i	many feet?			
From	To		LITHOLOG	IC LOG		From	То		LITHOLO	OGIC LOG		
0	9	topsoil										
9	31	clay brown shale	Δ									
31	69	grev shale	-							•		
69	80	limestone			, ,							
	 											
								<u> </u>				
				· - ·			L					
7 Conf	tractor's or	Landowner's Cert	tification: This wat	ter well was 1.	onstructed) 2. re	constructed	or 3.	plugged	under my jurisdiction	on and	
was co	mpleted on	(mo/day/year)	5-6-200	3 and	this record is	s true to the	best of my	knowledge and	d belief.			
I		Contractoda Lia		236 т				l on (mo/day/y		-2003		

was completed on (mo/day/year) 5-6-2003 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5-9-2003

under the business name of Harp Well & Pump Service Inc. by (signature) Jo d d S. Harp