			WATER W	ELL REC	ORD F	orm W\	VC-5 ł	KSA 82a-12	12			
111	N OF WATER	R WELL:	FRACTION	CITS	CATA	1	TION NUMBE		IP NUMBER		NUMBER	
Sedgy		n nearest town or city	SW 1/4	SE 1/4		1/4	35	T 2	26 s	R	2E E	E/W
i	E. 25th	•	Wichita, Ka		City?							
. 1	ER WELL O		RSON	11343								
\vdash	ADDRESS,		0 E. 25th St.	N.					Board of Agr	iculture, Division	of Water R	Resource
	CITY,		hita, Kansas			Z	IP CODE:		Application Nur	mber:		
3 LOCATE	E WELL'S LO	cation 4	DEPTH OF COME	PLETED WELL	: 80) ft.		ELEVATION:				
WITH A	N "X" IN SEC	TION BOX:	pth of groundwate			f	t.		ft.			ft.
	T		ELL'S STATIC W		30	FT. BELO	OW LAND S	SURFACE MEAS	URED ON mo/	dav/vr: 7/	28/04	
	-NW	- NE		mp test data:	Well wat			ft. after		s of pumping @		gpm
ω l		"	Est. Yield:	gpm	Well wat	er was		ft. after	hours	s of pumping @)	gpm
W Mile		———E B	Bore Hole Diamete	r 12	in.	to	80 f	ft. and	in.	to		ft.
-	: _}		ELL WATER TO E						9. Dewateri	ing 11. I	njection	well
11 [-sw -	1						and garden on		12. Other	(Specify	/ below)
	ХŢ		2. Irrigation 4 Was a chemical/bacte		6. Oil field w			nditioning	10. Monitori : If ves.	ng weii what mo/day/y	r was sa	ample
	S		was a chemical/bacte ibmitted	enological sample	submitted to L	epariment?	YES Was	Water Well Disi		YES	NO	
5 TYF	PE OF CAS	ING USED:	E Manuals	t lana 7	. Cibaralasa	9 (Other (Speci	fy below) CA	SING JOINTS:	Glued	Thre	eaded
	. Steel	3. RPM (SI	R) 5. Wrough		'. Fiberglass	S.D.	R-26	., 50.017,		Welded		mped
	PVC	4 . ABS	6. Asbesto	s-Cement 8	3. Concrete ti	le SD	K-20					•
Blank cas	ing diamete	r 5	in. to	30 ft.,	Dia.	in.	to	ft.,	Dia.	in. to		ft.
Casing h	eight above	land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wall	hickness or gau	ge No2	14	
TYPE OF	SCREEN C	R PERFORATION	N MATERIAL:					_				
1. Stee	el 3	. Stainless Steel	Fiberglass	_	PVC		ABS		Other (specify)			
2. Bras	ss 4	. Galvanized	6. Concrete	Tile 8.	RMP (SR)	10. /	Asbestos-Ce	ement 12. N	lone used (open	hole)		
SCREEN	OR PERFO	RATION OPENIN	GS ARE:									
1. Conti	nuous slot	3. Mill sl	lot 5.	Gauzed wrap	ped	7. T	orch cut	9. Dr i	lled holes	11. None	(open l	nole)
2. Louve	ered shutte	r 4. Key p	ounched 6.	Wire wrapped	l	8. s	aw cut	10. Ot	her (specify)			
SCREEN -	PERFORA	TION INTERVAL	From	30 ft.	to	80	ft.,	From	ft.	to		ft.
			From	ft.	to		ft.,	From	ft.	to		ft.
G	RAVEL PA	CK INTERVALS:	From	24 ft.	to	80	ft.,	From	ft.	to		ft.
			From	ft.	· to		ft.,	From	ft.			
a L GPOI	IT MATERI	A1 C						_		to	-1	ft.
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole pl										• •		
Grout Intervals: From 4 ft. to 24 ft., From ft. What is the nearest source of possible contamination:							. to	ft.,	From	ft.	to	ft.
1. Septio		4. Latera		7. Pit privy	1	10. Livestock pens		13. Insec	13. Insecticide storage		15. Oil well/Gas well	
2. Sewe	r lines	5. Cess I	Pool ⁸	B. Sewage lage	ewage lagoon 11. Fuel storage			14. Aban	14. Abandon water well 16. Other (specify below)			
3. Water	rtight sewe	r line 6. Seepa	age pit	e. Feed yard	1	2. Fertiliz	er storage			None	Appar	ent
Direction	from well?							How r	nany feet?			
From	То		LITHOLOGI	C LOG		From	То		LITHOLO	OGIC LOG		
0	4	topsoil										
4	10	clay				<u> </u>	-	1				
60	60 80	shale limestone					+					
	00	innestone										
		,										
									RE	CEIVE	D	
							_					
								AU	G 1 9 20	94		
								1	DU :==			
							†		BUKE/	NU OF WA	TER	
-		<u> </u>					1					
7 Con	tractor's or l	_andowner's Certif	fication: This wate	r well was 1.	constructed	2. r	econstruct	ed or 3.	plugged	under my juris	diction ar	nd
was co	mpleted on	(mo/day/year)	7/28/2004	and	d this record	is true to th	e best of m	y knowledge and	l belief.			
Kansas	Water Well	Contractor's Licer	nse No. 2	236	This water we	ell record w	as complete	ed on (mo/day/ye	ear) 7/3]	1/2004		
		name of Harp					signature)					
Lindorti			WEIL OF LUIII	P Sei vice I		~, (<u>To d d S.</u>	Harp		