WATER WELL RECORD		Form WWC-5		Division of Water Resources; App. No.			
1 LOCATION OF W	ATER WELL: Gurier In from nearest town or	Fraction		Section Nu	ımber		Range Number
County:	gurch	NW14 DW14 1	VE 1/4	<i>,</i> 2.		T 26 S	R 2 (F)W
located within city?	in from nearest town or	city street address of v	veil if			Systems (decimal degr	
located within city?	13977 2	E77thst	1/	Latitude:			
2 WATER WELL C	WNER: Ryan	Smith		Elevetion	;		
RR#, St. Address, I	30x # : /3 8 2 4	- Onword	ا بد .	Datum:	• —		
City, State, ZIP Coo	le : /37/	18 77 HS	fN	Datum. Data Coll	ection l	Method:	
3 LOCATE WELL'S	4 DEPTH OF CON	IPLETED WELL				victiod.	
LOCATION							
WITH AN "X" IN	Depth(s) Groundwate	er Encountered (1).		ft. (2)	ft. (3)	ft.
SECTION BOX:	WELL'S STATIC W	ATER LEVEL	ft. 1	below land	surface	measured on mo/day/	yr
N		ta: Well water was					
*	Est. Yieldgp	m: Well water was		.ft. after		hours pumping	gpm
NW NE	11 D .: 2 D	BE USED AS: 5 Put	olic water s	upply	8 Air	conditioning 11 Inje	ection well
W	1 Domestic 3 Fe	eedlot 6 Oil fiel	d water sur	ply	9 Dew	atering 12 Oth	ier (Specify below)
		ndustrial 7 Domes	T 1	1004			
SW SE	Was a chemical/hact	eriological sample sub	mitted to D	enartment	? Yes	N_0 X .	If ves mo/day/vrs
	Sample was submitte	ed	Water	well disin	fected?	Yes X. No	11 yes, 1110/day/y1s
S				,, ,,,			
5 TYPE OF CASING	USED: 5 Wrough	t Iron 8 Con	crete tile		CASINO	G JOINTS: Glued	Clamped
	MP (SR) 6 Asbesto		er (specify				Cimpeaiii
QPVC 4 Al	3S 7 Fibergla	ss				Threaded	
Blank casing diameter	7 Fibergla in. to	≤ ft., Diameter	<u>.</u> ir	ı. to	ft.,	Diameter	in. toft.
Casing height above lai	id surface	in., Weight	(d.Q11	os./ft. V	Vall thic	kness or guage No. 4	26
	R PERFORATION MAT						
		erglass PVC		BS		11 Other (Specify).	
	alvanized Steal 6 Cor		R) 10 A	sbestos-Ce	ement	12 None used (open	hole)
1 Continuous slo	ATION OPENINGS AR	Gauzed wrapped 7	Torch out	0 Drilla	d holes	11 None (open h	ola)
	er 4 Key punched 6						
SCREEN-PERFORAT	ED INTERVALS: From	2.5 ft. to	8 .4	5 ft F	From	ft. to	ft.
	From	n ft. to		ft., I	From	ft. to	ft.
GRAVEL PAG	From CK INTERVALS: From	1 2. . 4 ft. to	8 ⁻ S	ft., I	From	ft. to	ft.
	From	1 ft. to		ft., I	From	ft. to	ft.
GROUT MATERIA	I. 1 Neat cement '	2 Cement grout B	entonite	4 Other		<u> </u>	
	romft. to	ft. From	f	t. to	ft	From	ft. toft.
What is the nearest sou	rce of possible contamina	ation:				.,	
1 Septic tank	4 Lateral lines		10 Livesto	ck pens	13 Ins	ecticide storage	16 Other (specify
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel sto	rage		andoned water well	below)
3 Watertight sew			12 Fertilize			0	
FROM TO	LITHOLOGI	IC LOG	FROM	TO		PLUGGING INTI	ERVALS
0 2	Topsoil,						
2 19	Butun Ga						
19 27	Sandy, Clay	2		-			
27 44	Weatherd,	Shale					
44 67	6 rey shel	Land.					
64 81	Mary Gra	y Sale					
81 85 0	emestone.	1124					
		,					
CONTRACTOR'S	OR LANDOWNER'S C	ERTIFICATION:	This water v	well was) constr	ucted (2) reconstructe	ed, or (3) plugged
under my jurisdiction a	nd was completed on (me	o/day/year) .72.6.	. 28 . and	this record	is true t	o the best of my know	ledge and belief.
	ntractor's License No						
under the business nam	e of Chan	10, 70	by	(signature	9 [AMALIA.	
INSTRUCTIONS: Use typ	ewriter or ball point pen. PLI	EASE PRESS FIRMLY and	PRINT clearly	y. Please fill	in blanks	, underline or circle the co	rrect answers. Send top
	tment of Health and Environment to WATER WELL OW						
http://www.kdheks.gov/water				100	υ ψυι	Total Such Sonstitution	, Tible up a