			WATER	R WE	LL R	ECC	ORD	Forn	n WV	/C-5 K	(SA 82a-	1212				
	ON OF WATE	R WELL:	FRACTION		CXX				1	TION NUMBE	1	NSHIP N	-	}	NGE NUI	
Sedgy Distance and		m nearest town or city	SW street address	1/4	SW	1/4		V 1/4	1	3	T	26	S	R	<u> 2E</u>	E/W
		o. of 254 East			located		√ichita.	Kans	sas							
	ER WELL		T, Gary				- Tomita	, 11411	340							
	ADDRESS	5,BOX #: 1120	0 E. Turtl	le Cr	eek								Board of A	Agriculture, Divis	sion of Wa	ater Resourc
	CITY,	STATE: Wicl	hita, Kans	as					ZI	P CODE:		Α	pplication N	lumber:		
	E WELL'S LO		DEPTH OF C	OMPL	ETED \	WELL:	:	97	ft.		ELEVATIO	ON:				
· · ·	Ņ.		pth of ground	water 6	Encount	tered:			ft.				ft.			ft.
		l w	ELL'S STATIO				30			W LAND SI	URFACE ME				8/3/1	l 1
<u>'</u>	- NW	NE	Est. Yield:	Pum	p test d			vater wa			ft. afte			urs of pumpin		gp
∰ _w ×		E B	ore Hole Diar	neter	gpm 1	•	in.	water w	to 9	7 ft	ft. afte . and		in.	urs of pumpir	to	gp: ft
=	'		ELL WATER			AS:						_	9. Dewate	erina 1		tion well
1 -	sw	- SE 1	. Domestic	3. F	eedlot	5	. Public	water s	upply	7. Lawn	and garden	only		12. O 1	her (Spe	ecify belov
			2. Irrigation		ndustri		Oil field				nditioning	_	0. Monito	oring well s, what mo/d	av/vr wa	ac cample
	S		Vas a chemical/ ibmitted	bacterio	ological s	ample :	submitted t	to Depart	tment?	YES Was \	NO Water Well D		_	YES	ау/у: w a N (-
5 TYI	PE OF CAS	SING USED:	5 \A/r	viaht le		7	Fibergla		9. O	ther (Specif	v below)	CASING	G JOINTS	Glued		Threaded
	1. Steel	3. RPM (SI	R)	ought Ir			ŭ			R-26	, 50,011,	0, 10		Welded		Clamped
_	2. PVC	> 4. ABS	6. Asb		Cement	t 8.	Concrete	e tile	וענט	X-20						
Blank cas	sing diamete	er 5	in. to	3	60 ft	t.,	Dia.		in.	to	ft.,	Dia	1.	in.	to	ft.
•	•	land surface:		n.,		٧	Weight:	2.3	5 II	os. / ft.	W	all thick	ness or ga	auge No.	.214	
		DR PERFORATION 3. Stainless Steel	N MATERIAL: 5. Fiberg			7 1	PVC		9. A	DC.	1.	1 Other	(specify)			
1. Stee 2. Bras		Galvanized	6. Concr	-	· •	_	RMP (SF	8)		sbestos-Ce			used (ope	en hole)		
		RATION OPENING		0.0		-	('/					(-)	······································		
	inuous slo			5. G a	auzed v	vrapp	ed		7. T o	rch cut	9.	Drilled	holes	11. N	one (or	en hole)
	ered shutte				ire wra	• •		(w cut			specify)		•	,
				0. 11		•						· · · · · · · ·				
SCREEN -	- PERFORA	ATION INTERVAL	From		30	ft.		to	97	ft.,	From		ft.		to	ft.
-	.DAV.CL DA	OK INTERVALO	From		24	ft. ft.		to to	97	ft.,	From		ft.		to	ft,
G	KAVEL PA	CK INTERVALS:	From		24				91	ft.,	From		ft.		to	ft.
Longi	IT 144.TED		From			ft.		to		ft.,	From		ft.		to	ft.
	UT MATER Intervals:	ı. Ivcat	cement ft.		2. Cei		Grout			B. Bentonite				ntonite ho	-	_
		From 4 ource of possible co		to	24	ft.,	From		ft.	to	ft	••	From	ft.	to	ff
1. Septi	c tank	4. Latera	l lines	7. 1	Pit priv	У		10. Li	vestoc	k pens	13. ln:	secticid	le storage		well/Ga	
2. Sewe	er lines	5. Cess f	Pool	8. \$	Sewage	lago	on	11. Fo	uel sto	rage	14. At	oandon	water we	eli 16. Ot	her (spe	cify below
	rtight sewe		ge pit	9. I	Feed ya	ard		12. F	ertilize	storage						
	from well?	South	LITUOLO	010	100			——————————————————————————————————————		T =	Ho			oft. plus		
From 0	To 2	topsoil	LITHOLO	JGIC	LUG			 	rom	То		L	ITHUL	OGIC LO	<u> </u>	
3	18	clay												·		
18	30	brown clay														
30	45	brown shale						_		 						
45 65	65 70	gray shale gray shale an	d limasta					_								
<u>05</u> 70	95	gray shale at	to milestor	ue												
95	97	limestone														
																
		-														
	 							\dashv								
	ļ	ļ						_		.	 					
_1	L.,,	L								<u> </u>	<u> </u>					
<u>/</u> Cont	tractor's or	Landowner's Certifi			ell was	1.0	onstruct	ted	2. re	constructe	d or 3.	plu	gged	under my j	urisdictio	on and
was cor	mpleted on	(mo/day/year)	8/3/20	11		and	this reco	rd is tru	e to the	best of my	knowledge	and beli	ef.			
Kansas	Water Wel	Contractor's Licen	se No. 236			TI	his water	well red	cord wa	s completed	d on (mo/day	y/year)	8-	4-2011		
under th	ne business	name of Harp	Well and	Pum	p Ser	vice			by (si	gnature)		To	dd	S. Ho	wh	

Todd S. Harp by (signature)