KOLAR Document ID: 1485745

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App.			Well ID		
			Fraction	Section Number			Township Numb		nge Number		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						unal Addmass	$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
Z WELL Business:		ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:					
Address:											
Address:											
City:			State:	ZIP:							
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	tude:			(decimal degrees)	
SECTION BOX. Depth(s) Groundwat				Encountered: 1)		Longitude:(decimal degrees)					
1	Ν	2) WELL'S ST		□ Dry Well		Datum: WGS 84 NAD 83 NAD 27 <u>Source for Latitude/Longitude</u> : GPS (unit make/model:) (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper:					
				n. -yr)							
NW	NE			-yr)							
		Pump test d									
W	E	after	hours								
SW	SE	after	Well water was ft. after hours pumping gpm								
		Estimated Yield:			gpin	6 Elevation:ft. Ground Level TOC					
	S	Bore Hole Diameter: in. to			ft. and	Source	Source: Land Survey GPS Topographic Map				
1 r				in. to	ft.		□ Other				
7 WELL WATER TO BE USED AS:											
1. Domestic ☐ House				ater Supply: well ID				ld Water Supply: le			
		6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID					11. Test Hole: well ID ☐ Cased ☐ Uncased ☐ Geotechnical				
				ig: well ID			12. Geothermal: how many bores?				
2. 🗌 Irrigati	2. ☐ Irrigation 9. Environmental Remediation: we					a) Closed Loop 🗌 Horizontal 🗌 Vertical			ical		
3.								Dpen Loop Surface Discharge Inj. of Water			
4. 🗌 Industr			Recovery					specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter											
Casing diameter in. to it., Diameter in. to it., Diameter in. to it. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
		e contaminati		potential source of cor				— - · ·			
Septic Sewer			Lateral Line Cess Pool	es] Livestock P] Fuel Storage			cide Storage oned Water		
				E Sewage La		Fuel Storage			ll/Gas Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:	1	1				
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	N: This wate	er well was	\Box co	nstructed, 🗌 reco	onstructed,	or plugged	
under my j	urisdiction at	nd was compl	eted on (n	no-day-year)	ater Wall Da	this record	1s tru	ted on (mo day w	y knowled	ge and belief.	
				1 mis wa							
		Send one copy to	WATER W	VELL OWNER and retain	one for your red	cords. Fee of \$	5.00 f	or each constructed we	211.		
-				Water, Geology Section, 10	000 SW Jackson	n St., Suite 420	, Tope	ka, Kansas 66612-136			
Visit us at h	<u>ittp://www.kdhe</u>	ks.gov/waterwel	<u>I/1ndex.html</u>						K.	SA 82a-1212	