WATER WELL RECORD		Form W	WC-5	Division of Water Resources App. No.		
1 LOCATION OF WATER WELL:		Fraction		Section Number Township No. Range Number		
	ty: Sec		¼ NE ¼ SE			
					Global Positioning System (GPS) information:	
	from nearest town or intersection: If at owner's address, check here .				Latitude:	
3939 N. Webb Rd.					Elevation:	
Wichita, KS 67226				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
I .			thanol Products		Collection Method:	
RR#, Street Address, Box #: 3939 N. City, State, ZIP Code : Wichita			Webb Rd		GPS unit (Make/Model:)	
City	, State, Z	IP Code : Wichita,	KS 67226		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL						
1	H AN "X	" IN 4 DEPTH OF G	COMPLETED WEL	ட 29	ft.	
SEC	TION BC	X: Depth(s) Ground	lwater Encountered	(1)	ft. (2) ft. (3) ft	
N WELL'S STATI			C WATER LEVEL	f	ft. below land surface measured on mo/day/yr	
		Pump	test data: Well water	er was	ft. after hours pumping gpm	
NW NE EST. YIELD			gpm. Well wate	r was	ft. after hours pumping gpm	
W Bore Hole Diameter 10						
Demostic Deposition Delicities Delicities Description Description Delicities Description						
SWSE Domestic Feedlot Off field water supply Dewatering Other (specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes Mo						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected?						
5 TYPE OF CASING USED: Steel PVC Other						
CASIN	G JOIN	ΓS: 🗹 Glued 🔲 Clan	nped 🔲 Welded	☐ Threade	ed	
Casing diameter .5" in, to ft. Diameter in, to ft. Diameter in, to ft. Diameter in, to ft.						
Casing height above land surface. 12" in., Weight .160 Wall thickness or gauge No						
	TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel					
	Brass	☐ Stainless Steel	✓ PVC None used (onen h		Other (Specify)	
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
	☐ Continuous slot					
	☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)					
SCREE	SCREEN-PERFORATED INTERVALS: From 19 ft. to 29 ft., From ft. to ft.					
	From					
From						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
What is	the near	est source of possible conta	mination:			
	Septic ta			Livestock		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
		u couth			e from well	
FROM	TO	LITHOLOG		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	3	dirt			, , , , , , , , , , , , , , , , , , ,	
3	19	clay				
19	29	lime				
				-		
7 CON	L L L L L L L L L L L L L L L L L L L	OP'S OP LANDOWNER	'S CERTIFICATIO	N. This was	ster well was 17 constructed 17 reconstructed or 17 plugged	
under m	7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .09/09/13 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 493 This Water Well Record was completed on (mo/day/year) .12/30/13						
under the business name of Reiserer Well Drilling by (signature) Jerry Reiserer.						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						